



Proud of our past. Energised for our future.



The Copeland Centre,
Catherine Street, Whitehaven,
Cumbria CA28 7SJ

DETACHED DOMESTIC SINGLE STOREY BUILDINGS – SHEDS / GREENHOUSES / GARAGES AND ATTACHED CARPORTS EXEMPT FROM BUILDING REGULATIONS.

Small detached single storey domestic buildings including greenhouses, sheds, garages and attached carports meeting the following conditions do not require Building Regulation approval:

1. Detached garages or structures with an internal floor area **not exceeding 15 m²** and built of any type of construction that does not effect disabled access and contains no electrical supply (**see notes below****) are wholly exempt from Building Regulation approval.
2. Detached garages or structures with an internal floor area **not exceeding 30 m²**, built of any type of construction and sited so as to be a **minimum of 1metre** from any boundary line, that does not effect disabled access and contains no electrical supply (**see notes below****) are wholly exempt from Building Regulation approval.
3. Detached garages with an internal floor area **not exceeding 30 m²** and **built of substantially non combustible materials***, that does not affect disabled access and contains no electrical supply (**see notes below****) are wholly exempt from Building Regulation approval.

***Examples of what constitutes substantially non-combustible materials*:**

ROOF - non-combustible cement based sheeting fixed to steel roof trusses / tiled or slated roof on timber roof trusses or timbers / timber flat roof covered with felt with applied bitumen bedded 12.5mm limestone chippings.

WALLS – brickwork / blockwork / concrete panels / steel frame clad in non-combustible cement based boarding.

FLOORS – concrete slab.

4. Carports **open at least two sides** attached or detached from the main building, with an internal floor area **not exceeding 30 m²** that does not affect disabled access and contains no electrical supply (**see notes below****) are wholly exempt from Building Regulation approval.

****NOTES**:**

DISABLED ACCESS.

It is a 'Material Alteration' requiring the submission of a Building Regulation application, if the works you are undertaking make access to or access into the dwelling any worse than it is now. So the proposal must not obstruct access pathways up to the main dwelling entrance doors.



Tel: 01946 598409/598413


Email: building.control@copeland.gov.uk

DETACHED DOMESTIC SINGLE STOREY BUILDINGS - SHEDS / GREENHOUSES / GARAGES AND ATTACHED CARPORTS EXEMPT FROM BUILDING REGULATIONS. (Cont)

ELECTRICAL REGULATIONS.

If the small-detached building is to have electricity supplied from a source shared with or located within the dwelling, then the Building Regulations apply to the electrical works. You will be required to submit a Building Regulation application.

If electrical circuits are to be provided or adapted to provide light or power to your attached carports, then the Building Regulations may apply



Planning Approval -

You are reminded that Building Regulations Approval does not imply approval under the Town and Planning Act - you should check whether or not a Planning Application is required.