


# Notes:

1. Redline boundary indicates property extents.







1. Hatched area indicates property extension.



One Black Dog Design

07974936052 oneblackdogdesign@gmail.com


6, Foxhouses Road, Whitehaven


Large Scale Location Plan, Showing Area of Extension


PROJECT PHASE DATE DATE	1:100	FOR INFO
xxx   09/08/21   09/08/21		09/08/21 09/08/21


21-016-E002


REVISION














Full Elevation to Rear of Property Showing Extension 1:50

## Notes:

- 1. All dimensions in millimetres (mm).
- 2. This drawing forms part of a series and should be read in conjunction with drawings E001-E008.
- 3. For construction notes refer to E009.



# Notes:

#### General:

- These drawings are based upon a non-intrusive survey conducted August 2021.
- 2. As such, some details, particularly those that would require destructive investigation such as the foundations and roof construction are assumed.
- 3. The extension referred to in these plans has been constructed and in full inhabited use since the 1970's. Modernization works took place in 2013 all materials, finishes and construction methods used are assumed to be 'best practise' at the time the works were conducted.

## Foundations:

- 1. Foundations are assumed to be 600w mass concrete, depth for these ground conditions assumed to be 300-450.
- 2. Assume C15 concrete comprising 1:2:5 mix. (Cement:Sand:Gravel)
- 3. Foundation depth assumed for frost protection.

### Floor:

1. Suspended 22mm floorboard on 170x45 joists spanning parallel to existing house, period tile finish.

## Walls:


- Walls comprise Whitehaven brick to exterior faces with a cavity of 85mm, 100mm blockwork inner leaf.
- 2. Exterior walls are finished in cream coloured smooth render.
- 3. Internal walls are finished with plasterboard and skim, painted finish.

#### Doors:

1. Single solid timber two-panel half glazed door, finished in white gloss. Door is furnished with single point standard handle & lock.

## Windows:

- 1. Both windows are of solid timber construction with double glazed panes throughout, openings are located in the center of each window. all windows are finished in white gloss to all timber elements.
- 2. Openings are top hinged with latch to bottom.
- 3. Windows approximate dimensions are shown below:



### Ceiling:

1. Ceiling comprised plasterboard and skim with painted finish.

### Roof:

- 1. Roof comprises polyurethane coating on fibreglass matting, dressed to all exposed edges.
- 2. Upstand on three sides comprises pre-formed fibreglass trims.
- 3. fibre matting sits on 22mm OSB suspended on 125x50 joists running parallel to existing build.
- 125x50 trimmers to roof light with 175x50 upstanding along face of existing.

