

1. Zinc standing seam pitched roof with concealed box gutters.
NBS Reference H74 110
2. Zinc standing seam cladding
NBS Reference H74 139
3. Curtain wall: Opaque sandwich panel with Zinc sheet facing to match cladding. Insulation behind.
NBS Reference H11 145
4. Curtain wall: Clear double glazed fixed panels with silicone jointed (capless) system
NBS Reference H11 110
5. Curtain wall: Bronze tinted double glazed fixed panels with silicone jointed (capless) system
NBS Reference H11 110
6. Fixed ventilation louvre to MEP eng spec. Set within curtain wall or above door. Bronze powdercoat finish to match cladding
NBS Reference H11 140
7. Curtain wall door: Clear double glazed sliding door panels - refer door schedule
NBS Reference H11 110
8. Glazed door: Clear double glazed single or double leaf door - refer door schedule
NBS Reference
9. Solid door: single or double leaf door with polyester powdercoat finish to match cladding. Full height double glazed vision panel where shown
NBS Reference L20 480
10. Natural sandstone wall / plinth
NBS Reference
11. Encasement to column/downpipe: Zinc sheet to match cladding
12. Clear Double glazed windows slanted with facade

Notes

4. Drawings based on survey information provided by Paragon Surveys, the accuracy of which has not been checked. All dimensions and levels are to be confirmed on site prior to procuring any materials, fabrication/manufacturer's production information or commencement of works on site.

5. This drawing has been released as part of a 2 stage Design and Build procurement process and illustrates "Design Intent" on which to base further design development and construction information. Significant deviation from the standards set in this drawings along with other relevant technical information will not be accepted.




NORTHMILL
associates
Suite 3 - 4th Floor 333 King Street Manchester, ME 04102

Client
Whitehaven Harbour Commissioners

Drawing

North East Elevation

Project No: 2452	Scale @ A0: 1 : 50	Date: 14.08.2021
Drawn: LG	Checked: IG	Status: TENDER 2 REVIEW
Drawing No:		Revision:
L(02)101		2