



The Coal
Authority



INVESTOR IN PEOPLE



RTPI
Learning Partner

200 Lichfield Lane
Berry Hill
Mansfield
Nottinghamshire
NG18 4RG

Tel: 01623 637 119 (Planning Enquiries)

Email: planningconsultation@coal.gov.uk

Web: www.gov.uk/coalauthority

For the Attention of: Christie M Burns – Case Officer
Copeland Borough Council

[By Email: development.control@copeland.gov.uk]

11 April 2023

Dear Ms Burns

PLANNING APPLICATION: 4/23/2076/001

OUTLINE APPLICATION FOR RESIDENTIAL DEVELOPMENT FOR UP TO 65 DWELLINGS WITH DETAILS OF PROPOSED ACCESS & ALL OTHER MATTERS RESERVED; Land Off, Dalzell Street, Moor Row, Egremont

Thank you for your notification of 22 March 2023 seeking the views of the Coal Authority on the above planning application.

The Coal Authority is a non-departmental public body sponsored by the Department for Energy Security and Net Zero. As a statutory consultee, the Coal Authority has a duty to respond to planning applications and development plans in order to protect the public and the environment in mining areas.

The Coal Authority Response: Material Consideration

I have reviewed the proposals and confirm that part of the application site falls within the defined Development High Risk Area; therefore within the application site and surrounding area there are coal mining features and hazards which need to be considered in relation to the determination of this planning application.

The Coal Authority records indicate that the eastern part of the site lies within an area of recorded shallow coal mining. This could affect public safety and surface stability for the proposed development.

The planning application is accompanied by a Phase 1: Desk Top Study Report (2016-1961, 18-08-2022) prepared for the proposed development by Geo Environmental Engineering Ltd. The Report has been informed by an appropriate range of historical, geological and coal mining information.

Having carried out a review of the available information, the report author considers that currently there is potential risk to the proposed development at this site from shallow coal (and iron ore) mining and recommendations have been made that intrusive ground investigations are required in order to confirm the exact ground conditions beneath the site. The findings should inform the extent of any remedial and / or mitigation measures required to ensure the proposed development will be safe and stable (NPPF paras. 183 and 184).

The Coal Authority welcomes the comments made by the report author that unrecorded mining features may exist within the application site and vigilance should be maintained (watching brief) during site preparation works. Should any unrecorded mine entries be encountered, they should initially be fenced off to make the area safe and appropriately assessed by an experienced engineer. Treatment of the mine entry will most likely be required. The Coal Authority will also need to be notified of any such findings.

The application is also accompanied by a Preliminary Ground Investigation Report (GEO2022-5470, 11.08.2022) prepared by Geo Environmental Engineering Ltd which has been informed by the results of some ground investigations (trial pits). However it should be noted that these were not carried out to investigate shallow coal mine workings.

The intrusive site investigations should be designed and undertaken by competent persons to ensure that these are appropriate to assess the ground conditions on the site to establish the coal-mining legacy present and the risks it may pose to the development and inform any mitigation measures that may be necessary.

The applicant should be aware that Permission is required from the Coal Authority Permit and Licensing Team before undertaking any activity, such as ground investigation and ground works, which may disturb coal property. Please note that any comments that the Coal Authority may have made in a Planning context are without prejudice to the outcomes of a Permit application.

Mine Gas

Wherever coal resources or coal mine features exist at shallow depth or at the surface, there is the potential for mine gases to exist. These risks should always be considered by the LPA. The Planning & Development team at the Coal Authority, in its role of statutory consultee in the planning process, only comments on gas issues if our data indicates that gas emissions have been recorded on the site. However, the absence of such a comment should not be interpreted to imply that there are no gas risks present. Whether or not specific emissions have been noted by the Coal Authority, local planning authorities should seek their own technical advice on the gas hazards that may exist, and appropriate measures to be implemented, from technically competent personnel.

Sustainable Drainage

It should be noted that where SUDs are proposed as part of the development scheme consideration will need to be given to the implications of this in relation to the stability and public safety risks posed by coal mining legacy. The developer should seek their own advice from a technically competent person to ensure that a proper assessment has been made of the potential interaction between hydrology, the proposed drainage system and ground stability, including the implications this may have for any mine workings which may be present beneath the site.

The Coal Authority Recommendation to the LPA

In light of the above, the Coal Authority recommends the imposition of the following conditions:

1. No development shall commence until;

- a) a scheme of intrusive site investigations has been carried out on site to establish the risks posed to the development by past coal mining activity, and;
- b) any remediation works and/or mitigation measures to address land instability arising from coal mining legacy, as may be necessary, have been implemented on site in full in order to ensure that the site is made safe and stable for the development proposed.

The intrusive site investigations and remedial works shall be carried out in accordance with authoritative UK guidance.

2. Prior to the occupation of the development, or it being taken into beneficial use, a signed statement or declaration prepared by a suitably competent person confirming that the site is, or has been made, safe and stable for the approved development shall be submitted to the Local Planning Authority for approval in writing. This document shall confirm the methods and findings of the intrusive site investigations and the

completion of any remedial works and/or mitigation necessary to address the risks posed by past coal mining activity.

This is our recommendation for condition wording. Whilst we appreciate that you may wish to make some amendment to the choice of words, we would respectfully request that the specific parameters to be satisfied are not altered by any changes that may be made.

The Coal Authority has **no objection** to the proposed development **subject to the imposition of the conditions** to secure the above.

The following statement provides the justification why the Coal Authority considers that a pre-commencement condition is required in this instance:

The undertaking of intrusive site investigations, prior to the commencement of development, is considered to be necessary to ensure that adequate information pertaining to ground conditions and coal mining legacy is available to enable appropriate remedial and mitigatory measures to be identified and carried out before building works commence on site. This is in order to ensure the safety and stability of the development, in accordance with paragraphs 183 and 184 of the National Planning Policy Framework.

Please do not hesitate to contact me if you would like to discuss this matter further.

Yours sincerely

D Roberts

Deb Roberts M.Sc. MRTPI

Planning & Development Manager

General Information for the Applicant

Under the Coal Industry Act 1994 any intrusive activities, including initial site investigation boreholes, and/or any subsequent treatment of coal mine workings/coal mine entries for ground stability purposes require the prior written permission of The Coal Authority, since such activities can have serious public health and safety implications. Failure to obtain permission will result in trespass, with the potential for court action. In the event that you are proposing to undertake such work in the Forest of Dean local authority area our permission may not be required; it is recommended that you check with us prior to commencing any works. Application

forms for Coal Authority permission and further guidance can be obtained from The Coal Authority's website at:

<https://www.gov.uk/get-a-permit-to-deal-with-a-coal-mine-on-your-property>

Disclaimer

The above consultation response is provided by The Coal Authority as a Statutory Consultee and is based upon the latest available data on the date of the response, and electronic consultation records held by The Coal Authority since 1 April 2013. The comments made are also based upon only the information provided to The Coal Authority by the Local Planning Authority and/or has been published on the Council's website for consultation purposes in relation to this specific planning application. The views and conclusions contained in this response may be subject to review and amendment by The Coal Authority if additional or new data/information (such as a revised Coal Mining Risk Assessment) is provided by the Local Planning Authority or the Applicant for consultation purposes.

In formulating this response The Coal Authority has taken full account of the professional conclusions reached by the competent person who has prepared the Coal Mining Risk Assessment or other similar report. In the event that any future claim for liability arises in relation to this development The Coal Authority will take full account of the views, conclusions and mitigation previously expressed by the professional advisers for this development in relation to ground conditions and the acceptability of development.