

| REV | DATE | DESCRIPTION | DRW | CHK |
|-----|------------|---|-----|-----|
| P01 | 25/10/2024 | PRELIMINARY ISSUE | SNK | GS |
| C01 | 07/11/2024 | TENDER ISSUE | SNK | GS |
| C02 | 06/01/2025 | UPDATED TO SUIT CUMBERLAND COUNCIL COMMENTS | MH | SNK |
| C03 | 14/05/2025 | CONSTRUCTION ISSUE | HP | SNK |

HEALTH & SAFETY
1. CONTRACTOR SHOULD BE AWARE OF GENERAL CONSTRUCTION RISKS TO PREVENT SLIPS, TRIPS AND FALLS AND TAKE NECESSARY PRECAUTIONS WITHOUT SPECIAL INSTRUCTION.
2. CONTRACTOR TO PROVIDE TRENCH SUPPORTS AS APPROPRIATE AND ENSURE THAT PLANT REMAINS A SAFE DISTANCE FROM TRENCHES PRIOR TO INSTALLING DRAINAGE.
3. THE TIME THAT EXCAVATIONS ARE OPEN ON SITE SHOULD BE KEPT TO A MINIMUM AND ALL TRENCHES SHOULD BE SURROUNDED BY A BARRIER.
4. CONNECTIONS TO EXISTING SEWERS TO BE MADE BY YORKSHIRE WATER APPROVED CONTRACTOR ONLY.
5. CONTRACTOR TO MAKE OPERATIVES AWARE OF ASSOCIATED DANGERS TO HEALTH SUCH AS LEPTOSPIROSIS (WELLS DISEASE) AND RECOMMENDED PRECAUTIONS.
ADEQUATE WELFARE FACILITIES AND PROTECTIVE CLOTHING TO BE PROVIDED AS REQUIRED.
6. UNFINISHED MANHOLES MUST BE COVERED WITH LOAD BEARING MATERIALS AND SURROUNDED WITH BARRIER.
PIPS & CABLES
7. SERVICE RECORDS TO BE REFERRED TO PRIOR TO WORK COMMENCING. CONTRACTOR TO PROCEED WITH CAUTION AND SERVICES TO BE LOCATED BY HAND DIG AND PROTECTED ACCORDINGLY.
EXCAVATION/FILL
8. CONTRACTOR TO ENSURE RELEVANT MEASURES ARE TAKEN TO KEEP PLANT AND PEOPLE A SAFE DISTANCE FROM STEEP SLOPES DURING THE WORKS.
9. CONTRACTOR TO ENSURE THAT PROCEDURES ARE IN PLACE TO KEEP PEOPLE A SAFE DISTANCE FROM WORKING PLANT WHERE NECESSARY.
10. CONTRACTOR TO REFER TO GROUND INVESTIGATION REPORT FOR CONTAMINATION TESTS AND TO PROVIDE ADEQUATE WELFARE FACILITIES AND PROTECTIVE CLOTHING AS REQUIRED.

WORKS MUST BE CONSTRUCTED IN ACCORDANCE WITH THE RELEVANT STANDARDS, CBC SPECIFICATION AND GUIDANCE. ANY ISSUES IDENTIFIED ON SITE ARE TO BE ADDRESSED TO THE SATISFACTION OF CBC AS LHA THROUGH THE DEVELOPMENT MANAGEMENT TEAM

- KEY**
- EXISTING CARRIAGEWAY RESURFACE**
 - PLANE OFF EXISTING CARRIAGEWAY SURFACE TO 45mm DEPTH
 - APPLY TACK COAT
 - INSTALL 45mm HRA 35F WITH 20mm PRE-COATED CHIPPINGS
 - COMPLYING WITH BS EN13108-1
 - NEW CARRIAGEWAY**
 - 45mm HRA 35F WITH 20mm PRE-COATED CHIPPINGS
 - COMPLYING WITH BS EN13108-1
 - 60mm AC20 DENSE BIN COMPLYING WITH BS N13108-1
 - 150mm AC20 DENSE BASE COMPLYING WITH BS EN108-1
 - 350mm DOT TYPE 1 GRANULAR MATERIAL
 - 200mm GRANULAR CAPPING LAYER TO 6F2 OR SIMILAR
 - NEW FOOTWAY**
 - 30mm AC6 SURF COMPLYING WITH BS EN 13108-1
 - 70mm AC20 DENSE BIN COMPLYING WITH BS EN 13108-1
 - 150mm DOT TYPE 1 GRANULAR MATERIAL
 - EXISTING FOOTWAY RESURFACE**
 - PLANE OFF 30mm EXISTING SURFACE COURSE AND LAY
 - 30mm AC6 SURF COMPLYING WITH BS EN 13108-1
 - TACTILE PAVING**
 - 400x400x70 BUFF COLOURED TACTILE CONCRETE
 - PAVING FLAGS TO BS EN 1314-200
 - 25mm GLASS 1 MORTAR BED
 - 150mm TYPE 1 GRANULAR SUB BASE
 - (PAVING SURROUNDED BY 50x150 CONCRETE EDGING KERBS.)
 - PEDESTRIAN REFUGE ISLAND**
 - 30mm AC6 SURF COMPLYING WITH BS EN 13108-1
 - 70mm AC20 DENSE BIN COMPLYING WITH BS EN 13108-1
 - 150mm DOT TYPE 1 GRANULAR MATERIAL
 - CARRIAGEWAY TIE IN**
 - PLANE OFF EXISTING SURFACE TO 45mm DEPTH AND REPLACE WITH 45mm HRA 35F WITH 20mm PRE-COATED CHIPPINGS COMPLYING WITH BS EN13108-1
 - TRIAL HOLES TO BE UNDERTAKEN IN EXISTING CARRIAGEWAY PRIOR TO PLANE OFF TO CONFIRM EXISTING CARRIAGEWAY CONSTRUCTION DEPTHS
 - HBK 125x255mm HALF BATTERED KERB WITH 100mm FACE
 - BN 125x150 BULLNOSED KERB WITH 6mm KERB FACE
 - HB-BN 125-255 HALF BATTERED TO BULLNOSED TRANSITION KERB
 - EK 50x150 EDGING KERB (FLUSH)
 - PROPOSED 600mm HIGH STONE BOUNDARY WALL (REUSE AS MUCH EXISTING STONE AS POSSIBLE AND USE RECLAIMED STONE MATCHING EXISTING TO MAKE UP ANY SHORTFALL)

Client

Aldi Stores Ltd.


Project Title

Aldi - Whitehaven

Project Address

Preston Street
Whitehaven

Client



Drawing Title

S278 Construction Build Ups

Job No.

79-EXXX

Originator

HYD

Zone

ZZ

Level

XX

Type

DR

Role

C

System Classification

Ro_50_20_11 -5001

Drawing No.

A5

Suitability

C03

Revision

Drawn

SNK

Checked

GS

Date


Oct 2024

Scale

1:150

Size

A1



2nd Floor, 2 Esh Plaza,
Sir Bobby Robson Way, Great Park
Newcastle
NE13 9BA
t: +44(0)191 230 2993
e: newcastle@seconsult.com

SUBJECT TO THE APPROVAL OF
ALL RELEVANT AUTHORITIES