


63 LOOP ROAD NORTH, WHITEHAVEN

PROPOSED EXTENSION and ALTERATIONS

2 of 2




EXISTING PLAN 1:100

NB. THESE DRAWINGS ARE FOR THE SOLE PURPOSE OF OBTAINING CEC APPROVALS

NB. ALL NEW ELECTRICAL WORK TO BE DESIGNED, INSTALLED, INSPECTED & TESTED IN ACC. WITH IEE WIRING REGS - 18TH EDITION. THE WORKS ARE TO BE UNDERTAKEN BY A SELF CERTIFIED INSTALLER OR BY A SQEP, WITH A CERT. OF COMPLIANCE TO BDCI CONTROL ON COMPLETION OF THE WORKS.

FRONT BALCONY HANDRAIL @ 1100 MM. HT WITH NO GAP ABOVE 100 MM., & WITH 75N/M RUN STRENGTH TO BS 6180.




REAR
EXISTING ELEVATIONS

INSTALL MECH EXTRACT FANS WHERE SHOWN TO KITCHEN (60 L/SEC), WZ (15 L/SEC) & UTILITY (30 L/SEC) AREAS. INSTALL COMPATIBLE HEAT & SMOKE DETECTORS, TO BS 5446, TO L.A. AGREED POSITIONS.




FRONT
EXISTING ELEVATIONS 1:100

DRAINAGE: RELOCATE IN 150 MM Ø HIPSLEVE @ REC. FALLS WITH ALL PROP'Y MTS & GULLIES, CONNECTIONS ETC TO SATISFACTION OF L.A. RECONNECT TO EXISTING RUN AT FRONT OF DWELLING, MAKE GOOD.



SIDE


WINDOWS/DOORS: U/PVC, WITH SEALED LOW'E' DG UNITS (16 MM. AIR GAP), WITH DRAUGHT STRIPS, & BEDDED & SEALED WITH MASTIC. ALL GLAZING TO BS 6206: 1991



REAR
PROPOSED ELEVATIONS



FRONT
PROPOSED ELEVATIONS 1:100



SIDE