


Tel:

Fax:

1	Chamf IG S706 Casement	W11	
O/A Sizes 1150mm x 1800mm (Style 14)		Specification	
		Frame (Head) Frame (Cill) Frame (Left jamb) Frame (Right jamb) Transom Sash Cill Ventilator (Sash) Colour Sash colour Cill colour Drainage Handle Friction stay Viewed from Open in/out Glazed in/out Reinforcing rule	546185 72mm IG O/F 546185 72mm IG O/F 546185 72mm IG O/F 546185 72mm IG O/F 546085/95 69mm IG T/Z 546106/66 IG T/Z Sash 150mm Deep Nose Cill 4000mm Vent White White White Concealed/Base Trinity White Handle Restrictor Stay Viewed from inside Open out Glazed in Fully Reinforced

Glazing Details & Apertures

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (1039 x 811) A6 - (941 x 713)

Notes :


Chamf S706 Multi-Segment	W12	
	Specification	
869>869>	Cill	150mm Deep Nose Cill
	Colour	White
	Cill colour	White
	Viewed from	Viewed from inside
	Reinforcing rule	Fully Reinforced



1740 x 2360

Notes :

Continued

2	Chamf IG S706 Casement	W12 1 of 2 of Multi-segment
O/A Sizes 869mm x 2330mm (Style 178)		Specification
		Frame (Head)
		Frame (Cill)
		Frame (Left jamb)
		Frame (Right jamb)
		Transom
		Sash
		Ventilator (Sash)
		Colour
		Sash colour
		Drainage
		Handle
		Friction stay
		Viewed from
		Open in/out
		Glazed in/out
		Reinforcing rule
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546085/95 69mm IG T/Z
		546106/66 IG T/Z Sash
		4000mm Vent
		White
		White
		Concealed/Base
		Trinity White Handle
		Restrictor Stay
		Viewed from Inside
		Open out
		Glazed in
		Fully Reinforced

Glazing Details & Apertures


4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (758 x 703) A4 - (758 x 740)

A7 - (660 x 605)

Notes :

3	Chamf IG S706 Casement	W12 2 of 2 of Multi-segment
O/A Sizes 869mm x 2330mm (Style 178)		Specification
		Frame (Head)
		Frame (Cill)
		Frame (Left jamb)
		Frame (Right jamb)
		Transom
		Sash
		Ventilator (Sash)
		Colour
		Sash colour
		Drainage
		Handle
		Friction stay
		Viewed from
		Open in/out
		Glazed in/out
		Reinforcing rule
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546085/95 69mm IG T/Z
		546106/66 IG T/Z Sash
		4000mm Vent
		White
		White
		Concealed/Base
		Trinity White Handle
		Fire Hinge
		Viewed from Inside
		Open out
		Glazed in
		Fully Reinforced

Glazing Details & Apertures

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled


A1 - (758 x 703) A4 - (758 x 740)

A7 - (660 x 605)

Notes :

	Chamf S706 Multi-Segment	W13
		Specification
		Cill
		Colour
		Cill colour
		Viewed from
		Reinforcing rule
		150mm Deep Nose Cill
		White
		White
		Viewed from inside
		Fully Reinforced

Notes :

4	Chamf IG S706 Casement	W13 1 of 2 of Multi-segment
O/A Sizes 874mm x 2330mm (Style 178)		Specification
		Frame (Head)
		Frame (Cill)
		Frame (Left jamb)
		Frame (Right jamb)
		Transom
		Sash
		Ventilator (Sash)
		Colour
		Sash colour
		Drainage
		Handle
		Friction stay
		Viewed from
		Open in/out
		Glazed in/out
		Reinforcing rule
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546085/95 69mm IG T/Z
		546106/66 IG T/Z Sash
		4000mm Vent
		White
		White
		Concealed/Base
		Trinity White Handle
		Restrictor Stay
		Viewed from inside
		Open out
		Glazed in
		Fully Reinforced

Glazing Details & Apertures


4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (763 x 703) A4 - (763 x 740)

A7 - (665 x 605)

Notes :

5	Chamf IG S706 Casement	W13 2 of 2 of Multi-segment
O/A Sizes 874mm x 2330mm (Style 178)		Specification
		Frame (Head)
		Frame (Cill)
		Frame (Left jamb)
		Frame (Right jamb)
		Transom
		Sash
		Ventilator (Sash)
		Colour
		Sash colour
		Drainage
		Handle
		Friction stay
		Viewed from
		Open in/out
		Glazed in/out
		Reinforcing rule
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546085/95 69mm IG T/Z
		546106/66 IG T/Z Sash
		4000mm Vent
		White
		White
		Concealed/Base
		Trinity White Handle
		Fire Hinge
		Viewed from inside
		Open out
		Glazed in
		Fully Reinforced

Glazing Details & Apertures

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (763 x 703) A4 - (763 x 740)


A7 - (665 x 605)

Notes :

	Chamf S706 Multi-Segment	W14
		Specification
		Cill
		Colour
		Cill colour
		Viewed from
		Reinforcing rule
		150mm Deep Nose Cill
		White
		White
		Viewed from inside
		Fully Reinforced

1750 x 2360

Notes :

6	Chamf IG S706 Casement	W14 1 of 2 of Multi-segment
	O/A Sizes 874mm x 2330mm (Style 178)	Specification
		Frame (Head) 546185 72mm IG O/F Frame (Cill) 546185 72mm IG O/F Frame (Left jamb) 546185 72mm IG O/F Frame (Right jamb) 546185 72mm IG O/F Transom 546085/95 69mm IG T/Z Sash 546106/66 IG T/Z Sash Ventilator (Sash) 4000mm Vent Colour White Sash colour White Drainage Concealed/Base Handle Trinity White Handle Friction stay Restrictor Stay Viewed from Viewed from inside Open in/out Open out Glazed in/out Glazed in Reinforcing rule Fully Reinforced

Glazing Details & Apertures


4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (763 x 703) A4 - (763 x 740)

A7 - (665 x 605)

Notes :

7	Chamf IG S706 Casement	W14 2 of 2 of Multi-segment
	O/A Sizes 874mm x 2330mm (Style 178)	Specification
		Frame (Head) 546185 72mm IG O/F Frame (Cill) 546185 72mm IG O/F Frame (Left jamb) 546185 72mm IG O/F Frame (Right jamb) 546185 72mm IG O/F Transom 546085/95 69mm IG T/Z Sash 546106/66 IG T/Z Sash Ventilator (Sash) 4000mm Vent Colour White Sash colour White Drainage Concealed/Base Handle Trinity White Handle Friction stay Fire Hinge Viewed from Viewed from inside Open in/out Open out Glazed in/out Glazed in Reinforcing rule Fully Reinforced

Glazing Details & Apertures


4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (763 x 703) A4 - (763 x 740)


A7 - (665 x 605)

Notes :

	Chamf S706 Multi-Segment	W15
		Specification
		Cill 150mm Deep Nose Cill Colour White Cill colour White Viewed from Viewed from inside Reinforcing rule Fully Reinforced

1745 x 2360

Notes :

8	Chamf IG S706 Casement	W15 1 of 2 of Multi-segment
O/A Sizes 872mm x 2330mm (Style 178)		Specification
	Frame (Head)	546185 72mm IG O/F
	Frame (Cill)	546185 72mm IG O/F
	Frame (Left jamb)	546185 72mm IG O/F
	Frame (Right jamb)	546185 72mm IG O/F
	Transom	546085/95 69mm IG T/Z
	Sash	546106/66 IG T/Z Sash
	Ventilator (Sash)	4000mm Vent
	Colour	White
	Sash colour	White
	Drainage	Concealed/Base
	Handle	Trinity White Handle
	Friction stay	Restrictor Stay
	Viewed from	Viewed from inside
	Open In/out	Open out
	Glazed in/out	Glazed in
	Reinforcing rule	Fully Reinforced

Glazing Details & Apertures


4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (761 x 703) A4 - (761 x 740)

A7 - (663 x 605)

Notes :

9	Chamf IG S706 Casement	W15 2 of 2 of Multi-segment
O/A Sizes 871mm x 2330mm (Style 178)		Specification
	Frame (Head)	546185 72mm IG O/F
	Frame (Cill)	546185 72mm IG O/F
	Frame (Left jamb)	546185 72mm IG O/F
	Frame (Right jamb)	546185 72mm IG O/F
	Transom	546085/95 69mm IG T/Z
	Sash	546106/66 IG T/Z Sash
	Ventilator (Sash)	4000mm Vent
	Colour	White
	Sash colour	White
	Drainage	Concealed/Base
	Handle	Trinity White Handle
	Friction stay	Fire Hinge
	Viewed from	Viewed from inside
	Open In/out	Open out
	Glazed in/out	Glazed in
	Reinforcing rule	Fully Reinforced

Glazing Details & Apertures


4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (760 x 703) A4 - (760 x 740)

A7 - (662 x 605)

Notes :

10	Chamf IG S706 Casement	W16
O/A Sizes 1150mm x 2330mm (Style 178)		Specification
	Frame (Head)	546185 72mm IG O/F
	Frame (Cill)	546185 72mm IG O/F
	Frame (Left jamb)	546185 72mm IG O/F
	Frame (Right jamb)	546185 72mm IG O/F
	Transom	546085/95 69mm IG T/Z
	Sash	546106/66 IG T/Z Sash
	Cill	150mm Deep Nose Cill
	Ventilator (Sash)	4000mm Vent
	Colour	White
	Sash colour	White
	Cill colour	White
	Drainage	Concealed/Base
	Handle	Trinity White Handle
	Friction stay	Restrictor Stay
	Viewed from	Viewed from inside
	Open in/out	Open out
	Glazed in/out	Glazed in
	Reinforcing rule	Fully Reinforced

Glazing Details & Apertures

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian


Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (1039 x 693) A4 - (1039 x 730)

A7 - (941 x 595)

Notes :

11	Chamf IG S706 Casement	W17
	O/A Sizes 810mm x 1450mm (Style 14)	Specification
		Frame (Head) 546185 72mm IG O/F
		Frame (Cill) 546185 72mm IG O/F
		Frame (Left jamb) 546185 72mm IG O/F
		Frame (Right jamb) 546185 72mm IG O/F
		Transom 546085/95 69mm IG T/Z
		Sash 546106/66 IG T/Z Sash
		Cill 150mm Deep Nose Cill
		Ventilator (Sash) 4000mm Vent
		Colour White
		Sash colour White
		Cill colour White
		Drainage Concealed/Base
		Handle Trinity White Handle
		Friction stay Restrictor Stay
		Viewed from Viewed from inside
		Open in/out Open out
		Glazed in/out Glazed in
		Reinforcing rule Fully Reinforced

**Glazing Details & Apertures**

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (699 x 636) A6 - (601 x 538)

Notes :

Chamf S706 Multi-Segment	W18
	Specification
	Cill 150mm Deep Nose Cill
	Colour White
	Cill colour White
	Viewed from Viewed from inside
	Reinforcing rule Fully Reinforced


869x869x



1740 x 2370

Notes :

12	Chamf IG S706 Casement	W18 1 of 2 of Multi-segment
	O/A Sizes 869mm x 2340mm (Style 178)	Specification
		Frame (Head) 546185 72mm IG O/F
		Frame (Cill) 546185 72mm IG O/F
		Frame (Left jamb) 546185 72mm IG O/F
		Frame (Right jamb) 546185 72mm IG O/F
		Transom 546085/95 69mm IG T/Z
		Sash 546106/66 IG T/Z Sash
		Ventilator (Sash) 4000mm Vent
		Colour White
		Sash colour White
		Drainage Concealed/Base
		Handle Trinity White Handle
		Friction stay Restrictor Stay
		Viewed from Viewed from inside
		Open in/out Open out
		Glazed in/out Glazed in
		Reinforcing rule Fully Reinforced

**Glazing Details & Apertures**

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian


Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (758 x 706) A4 - (758 x 744)

A7 - (660 x 608)

Notes :

13 Chamf IG S706 Casement	W18 2 of 2 of Multi-segment
O/A Sizes 869mm x 2340mm (Style 178)	Specification
	Frame (Head) 546185 72mm IG O/F
	Frame (Cill) 546185 72mm IG O/F
	Frame (Left jamb) 546185 72mm IG O/F
	Frame (Right jamb) 546185 72mm IG O/F
	Transom 546085/95 69mm IG T/Z
	Sash 546106/66 IG T/Z Sash
	Ventilator (Sash) 4000mm Vent
	Colour White
	Sash colour White
	Drainage Concealed/Base
	Handle Trinity White Handle
	Friction stay Fire Hinge
	Viewed from Viewed from inside
	Open in/out Open out
	Glazed in/out Glazed In
	Reinforcing rule Fully Reinforced

**Glazing Details & Apertures**

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled


A1 - (758 x 706) A4 - (758 x 744)

A7 - (660 x 608)

Notes :

Chamf S706 Multi-Segment	W19
	Specification
	Cill 150mm Deep Nose Cill
	Colour White
	Cill colour White
	Viewed from Viewed from inside
	Reinforcing rule Fully Reinforced

869x869>




870x870>

1740 x 2370

Notes :

14 Chamf IG S706 Casement	W19 1 of 2 of Multi-segment
O/A Sizes 869mm x 2340mm (Style 178)	Specification
	Frame (Head) 546185 72mm IG O/F
	Frame (Cill) 546185 72mm IG O/F
	Frame (Left jamb) 546185 72mm IG O/F
	Frame (Right jamb) 546185 72mm IG O/F
	Transom 546085/95 69mm IG T/Z
	Sash 546106/66 IG T/Z Sash
	Ventilator (Sash) 4000mm Vent
	Colour White
	Sash colour White
	Drainage Concealed/Base
	Handle Trinity White Handle
	Friction stay Restrictor Stay
	Viewed from Viewed from inside
	Open in/out Open out
	Glazed in/out Glazed In
	Reinforcing rule Fully Reinforced

**Glazing Details & Apertures**


4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (758 x 706) A4 - (758 x 744)

A7 - (660 x 608)

Notes :


15	Chamf IG S706 Casement	W19 2 of 2 of Multi-segment
O/A Sizes 869mm x 2340mm (Style 178)		Specification
		Frame (Head)
		Frame (Cill)
		Frame (Left jamb)
		Frame (Right jamb)
		Transom
		Sash
		Ventilator (Sash)
		Colour
		Sash colour
		Drainage
		Handle
		Friction stay
		Viewed from
		Open in/out
		Glazed in/out
		Reinforcing rule
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546085/95 69mm IG T/Z
		546106/66 IG T/Z Sash
		4000mm Vent
		White
		White
		Concealed/Base
		Trinity White Handle
		Fire Hinge
		Viewed from inside
		Open out
		Glazed in
		Fully Reinforced

Glazing Details & Apertures

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian
 Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (758 x 706) A4 - (758 x 744)
 A7 - (660 x 608)

Notes :


16	Chamf IG S706 Casement	W20
O/A Sizes 920mm x 1090mm (Style 14)		Specification
		Frame (Head)
		Frame (Cill)
		Frame (Left jamb)
		Frame (Right jamb)
		Transom
		Sash
		Cill
		Ventilator (Sash)
		Colour
		Sash colour
		Cill colour
		Drainage
		Handle
		Friction stay
		Viewed from
		Open in/out
		Glazed in/out
		Reinforcing rule
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546085/95 69mm IG T/Z
		546106/66 IG T/Z Sash
		150mm Deep Nose Cill
		4000mm Vent
		White
		White
		White
		Concealed/Base
		Trinity White Handle
		Restrictor Stay
		Viewed from inside
		Open out
		Glazed in
		Fully Reinforced

Glazing Details & Apertures

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian
 Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (809 x 456) A6 - (711 x 358)

Notes :

17	Chamf IG S706 Casement	W21
O/A Sizes 1410mm x 1265mm (Style 14)		Specification
		Frame (Head)
		Frame (Cill)
		Frame (Left jamb)
		Frame (Right jamb)
		Transom
		Sash
		Cill
		Ventilator (Sash)
		Colour
		Sash colour
		Cill colour
		Drainage
		Handle
		Friction stay
		Viewed from
		Open in/out
		Glazed in/out
		Reinforcing rule
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546085/95 69mm IG T/Z
		546106/66 IG T/Z Sash
		150mm Deep Nose Cill
		4000mm Vent
		White
		White
		White
		Concealed/Base
		Trinity White Handle
		Restrictor Stay
		Viewed from inside
		Open out
		Glazed in
		Fully Reinforced


Glazing Details & Apertures

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian
 Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (1299 x 544) A6 - (1201 x 445)

Notes :

18 Chamf IG S706 Casement	W22
O/A Sizes 1410mm x 1265mm (Style 14)	Specification
	Frame (Head) 546185 72mm IG O/F
	Frame (Cill) 546185 72mm IG O/F
	Frame (Left jamb) 546185 72mm IG O/F
	Frame (Right jamb) 546185 72mm IG O/F
	Transom 546085/95 69mm IG T/Z
	Sash 546106/66 IG T/Z Sash
	Cill 150mm Deep Nose Cill
	Ventilator (Sash) 4000mm Vent
	Colour White
	Sash colour White
	Cill colour White
	Drainage Concealed/Base
	Handle Trinity White Handle
	Friction stay Restrictor Stay
	Viewed from Viewed from inside
	Open in/out Open out
	Glazed in/out Glazed in
	Reinforcing rule Fully Reinforced

**Glazing Details & Apertures**


4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (1299 x 544) A6 - (1201 x 445)

Notes :

19 Chamf IG S706 Casement	W23
O/A Sizes 920mm x 1055mm (Style 14)	Specification
	Frame (Head) 546185 72mm IG O/F
	Frame (Cill) 546185 72mm IG O/F
	Frame (Left jamb) 546185 72mm IG O/F
	Frame (Right jamb) 546185 72mm IG O/F
	Transom 546085/95 69mm IG T/Z
	Sash 546106/66 IG T/Z Sash
	Cill 150mm Deep Nose Cill
	Ventilator (Sash) 4000mm Vent
	Colour White
	Sash colour White
	Cill colour White
	Drainage Concealed/Base
	Handle Trinity White Handle
	Friction stay Restrictor Stay
	Viewed from Viewed from inside
	Open in/out Open out
	Glazed in/out Glazed in
	Reinforcing rule Fully Reinforced

**Glazing Details & Apertures**


4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (809 x 438) A6 - (711 x 341)

Notes :

20 Chamf IG S706 Casement	W24
O/A Sizes 845mm x 1855mm (Style 14)	Specification
	Frame (Head) 546185 72mm IG O/F
	Frame (Cill) 546185 72mm IG O/F
	Frame (Left jamb) 546185 72mm IG O/F
	Frame (Right jamb) 546185 72mm IG O/F
	Transom 546085/95 69mm IG T/Z
	Sash 546106/66 IG T/Z Sash
	Cill 150mm Deep Nose Cill
	Ventilator (Sash) 4000mm Vent
	Colour White
	Sash colour White
	Cill colour White
	Drainage Concealed/Base
	Handle Trinity White Handle
	Friction stay Restrictor Stay
	Viewed from Viewed from inside
	Open in/out Open out
	Glazed in/out Glazed in
	Reinforcing rule Fully Reinforced


**Glazing Details & Apertures**

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (734 x 838) A6 - (636 x 741)

Notes :

21 Chamf IG S706 Casement	W25
O/A Sizes 1140mm x 1770mm (Style 14)	Specification
	Frame (Head) 546185 72mm IG O/F Frame (Cill) 546185 72mm IG O/F Frame (Left jamb) 546185 72mm IG O/F Frame (Right jamb) 546185 72mm IG O/F Transom 546085/95 69mm IG T/Z Sash 546106/66 IG T/Z Sash Cill 150mm Deep Nose Cill Ventilator (Sash) 4000mm Vent Colour White Sash colour White Cill colour White Drainage Concealed/Base Handle Trinity White Handle Friction stay Restrictor Stay Viewed from Viewed from inside Open in/out Open out Glazed in/out Glazed in Reinforcing rule Fully Reinforced


Glazing Details & Apertures

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (1029 x 796) A6 - (931 x 698)

Notes :

22 Chamf IG S706 Casement	W26
O/A Sizes 835mm x 2120mm (Style 178)	Specification
	Frame (Head) 546185 72mm IG O/F Frame (Cill) 546185 72mm IG O/F Frame (Left jamb) 546185 72mm IG O/F Frame (Right jamb) 546185 72mm IG O/F Transom 546085/95 69mm IG T/Z Sash 546106/66 IG T/Z Sash Cill 150mm Deep Nose Cill Ventilator (Sash) 4000mm Vent Colour White Sash colour White Cill colour White Drainage Concealed/Base Handle Trinity White Handle Friction stay Restrictor Stay Viewed from Viewed from inside Open in/out Open out Glazed in/out Glazed in Reinforcing rule Fully Reinforced

Glazing Details & Apertures


4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (724 x 623) A4 - (724 x 660)

A7 - (626 x 525)

Notes :

23 Chamf IG S706 Casement	W27
O/A Sizes 835mm x 2120mm (Style 178)	Specification
	Frame (Head) 546185 72mm IG O/F Frame (Cill) 546185 72mm IG O/F Frame (Left jamb) 546185 72mm IG O/F Frame (Right jamb) 546185 72mm IG O/F Transom 546085/95 69mm IG T/Z Sash 546106/66 IG T/Z Sash Cill 150mm Deep Nose Cill Ventilator (Sash) 4000mm Vent Colour White Sash colour White Cill colour White Drainage Concealed/Base Handle Trinity White Handle Friction stay Restrictor Stay Viewed from Viewed from inside Open in/out Open out Glazed in/out Glazed in Reinforcing rule Fully Reinforced

Glazing Details & Apertures

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian


Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (724 x 623) A4 - (724 x 660)

A7 - (626 x 525)

Notes :

24 Chamf IG S706 Casement	W28
O/A Sizes 910mm x 1710mm (Style 14)	Specification
	Frame (Head) 546185 72mm IG O/F
	Frame (Cill) 546185 72mm IG O/F
	Frame (Left jamb) 546185 72mm IG O/F
	Frame (Right jamb) 546185 72mm IG O/F
	Transom 546085/95 69mm IG T/Z
	Sash 546106/66 IG T/Z Sash
	Cill 150mm Deep Nose Cill
	Ventilator (Sash) 4000mm Vent
	Colour White
	Sash colour White
	Cill colour White
	Drainage Concealed/Base
	Handle Trinity White Handle
	Friction stay Restrictor Stay
	Viewed from Viewed from inside
	Open in/out Open out
	Glazed in/out Glazed in
	Reinforcing rule Fully Reinforced

**Glazing Details & Apertures**


4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (799 x 766) A6 - (701 x 668)

Notes :

25 Chamf IG S706 Casement	W29
O/A Sizes 920mm x 1710mm (Style 14)	Specification
	Frame (Head) 546185 72mm IG O/F
	Frame (Cill) 546185 72mm IG O/F
	Frame (Left jamb) 546185 72mm IG O/F
	Frame (Right jamb) 546185 72mm IG O/F
	Transom 546085/95 69mm IG T/Z
	Sash 546106/66 IG T/Z Sash
	Cill 150mm Deep Nose Cill
	Ventilator (Sash) 4000mm Vent
	Colour White
	Sash colour White
	Cill colour White
	Drainage Concealed/Base
	Handle Trinity White Handle
	Friction stay Restrictor Stay
	Viewed from Viewed from inside
	Open in/out Open out
	Glazed in/out Glazed in
	Reinforcing rule Fully Reinforced

**Glazing Details & Apertures**


4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (809 x 766) A6 - (711 x 668)

Notes :

26 Chamf IG S706 Casement	W35
O/A Sizes 820mm x 2180mm (Style 178)	Specification
	Frame (Head) 546185 72mm IG O/F
	Frame (Cill) 546185 72mm IG O/F
	Frame (Left jamb) 546185 72mm IG O/F
	Frame (Right jamb) 546185 72mm IG O/F
	Transom 546085/95 69mm IG T/Z
	Sash 546106/66 IG T/Z Sash
	Cill 150mm Deep Nose Cill
	Ventilator (Sash) 4000mm Vent
	Colour White
	Sash colour White
	Cill colour White
	Drainage Concealed/Base
	Handle Trinity White Handle
	Friction stay Restrictor Stay
	Viewed from Viewed from inside
	Open in/out Open out
	Glazed in/out Glazed in
	Reinforcing rule Fully Reinforced

**Glazing Details & Apertures**


4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (709 x 643) A4 - (709 x 680)

A7 - (611 x 545)

Notes :

27	Chamf IG S706 Casement	W36
O/A Sizes 820mm x 2180mm (Style 178)		Specification
		Frame (Head)
		546185 72mm IG O/F
		Frame (Cill)
		546185 72mm IG O/F
		Frame (Left jamb)
		546185 72mm IG O/F
		Frame (Right jamb)
		546185 72mm IG O/F
		Transom
		546085/95 69mm IG T/Z
		Sash
		546106/66 IG T/Z Sash
		Cill
		150mm Deep Nose Cill
		Ventilator (Sash)
		4000mm Vent
Colour		White
Sash colour		White
Cill colour		White
Drainage		Concealed/Base
Handle		Trinity White Handle
Friction stay		Restrictor Stay
Viewed from		Viewed from inside
Open in/out		Open out
Glazed in/out		Glazed in
Reinforcing rule		Fully Reinforced

Glazing Details & Apertures


4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (709 x 643) A4 - (709 x 680)

A7 - (611 x 545)

Notes :

28	Chamf IG S706 Casement	W34
O/A Sizes 760mm x 1730mm (Style 14)		Specification
		Frame (Head)
		546185 72mm IG O/F
		Frame (Cill)
		546185 72mm IG O/F
		Frame (Left jamb)
		546185 72mm IG O/F
		Frame (Right jamb)
		546185 72mm IG O/F
		Transom
		546085/95 69mm IG T/Z
		Sash
		546106/66 IG T/Z Sash
		Cill
		150mm Deep Nose Cill
		Ventilator (Sash)
		4000mm Vent
Colour		White
Sash colour		White
Cill colour		White
Drainage		Concealed/Base
Handle		Trinity White Handle
Friction stay		Restrictor Stay
Viewed from		Viewed from inside
Open in/out		Open out
Glazed in/out		Glazed in
Reinforcing rule		Fully Reinforced


Glazing Details & Apertures

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (649 x 776) A6 - (551 x 678)

Notes :

29	Chamf IG S706 Casement	W34A
O/A Sizes 900mm x 2770mm (Style 178)		Specification
		Frame (Head)
		546185 72mm IG O/F
		Frame (Cill)
		546185 72mm IG O/F
		Frame (Left jamb)
		546185 72mm IG O/F
		Frame (Right jamb)
		546185 72mm IG O/F
		Transom
		546085/95 69mm IG T/Z
		Sash
		546106/66 IG T/Z Sash
		Cill
		150mm Deep Nose Cill
		Ventilator (Sash)
		4000mm Vent
Colour		White
Sash colour		White
Cill colour		White
Drainage		Concealed/Base
Handle		Trinity White Handle
Friction stay		Restrictor Stay
Viewed from		Viewed from inside
Open in/out		Open out
Glazed in/out		Glazed in
Reinforcing rule		Fully Reinforced

Glazing Details & Apertures


4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (789 x 839) A4 - (789 x 878)

A7 - (691 x 741)

Notes :

30	Chamf IG S706 Casement	W63
O/A Sizes 930mm x 2150mm (Style 178)		Specification
		Frame (Head)
		Frame (Cill)
		Frame (Left jamb)
		Frame (Right jamb)
		Transom
		Sash
		Cill
		Ventilator (Sash)
		Colour
		Sash colour
		Cill colour
		Drainage
		Handle
		Friction stay
		Viewed from
		Open in/out
		Glazed in/out
		Reinforcing rule
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546085/95 69mm IG T/Z
		546106/66 IG T/Z Sash
		150mm Deep Nose Cill
		4000mm Vent
		White
		White
		White
		Concealed/Base
		Trinity White Handle
		Restrictor Stay
		Viewed from inside
		Open out
		Glazed in
		Fully Reinforced

Glazing Details & Apertures


4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (819 x 633) A4 - (819 x 670)

A7 - (721 x 535)

Notes :

31	Chamf IG S706 Casement	W62
O/A Sizes 925mm x 2150mm (Style 178)		Specification
		Frame (Head)
		Frame (Cill)
		Frame (Left jamb)
		Frame (Right jamb)
		Transom
		Sash
		Cill
		Ventilator (Sash)
		Colour
		Sash colour
		Cill colour
		Drainage
		Handle
		Friction stay
		Viewed from
		Open in/out
		Glazed in/out
		Reinforcing rule
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546085/95 69mm IG T/Z
		546106/66 IG T/Z Sash
		150mm Deep Nose Cill
		4000mm Vent
		White
		White
		White
		Concealed/Base
		Trinity White Handle
		Restrictor Stay
		Viewed from inside
		Open out
		Glazed in
		Fully Reinforced

Glazing Details & Apertures


4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (814 x 633) A4 - (814 x 670)

A7 - (716 x 535)

Notes :

32	Chamf IG S706 Casement	W61
O/A Sizes 840mm x 2070mm (Style 178)		Specification
		Frame (Head)
		Frame (Cill)
		Frame (Left jamb)
		Frame (Right jamb)
		Transom
		Sash
		Cill
		Ventilator (Sash)
		Colour
		Sash colour
		Cill colour
		Drainage
		Handle
		Friction stay
		Viewed from
		Open in/out
		Glazed in/out
		Reinforcing rule
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546085/95 69mm IG T/Z
		546106/66 IG T/Z Sash
		150mm Deep Nose Cill
		4000mm Vent
		White
		White
		White
		Concealed/Base
		Trinity White Handle
		Restrictor Stay
		Viewed from inside
		Open out
		Glazed in
		Fully Reinforced

Glazing Details & Apertures

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian


Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (729 x 606) A4 - (729 x 644)

A7 - (631 x 508)

Notes :

33 Chamf IG S706 Casement	W60
O/A Sizes 840mm x 2070mm (Style 178)	Specification
	Frame (Head) 546185 72mm IG O/F
	Frame (Cill) 546185 72mm IG O/F
	Frame (Left jamb) 546185 72mm IG O/F
	Frame (Right jamb) 546185 72mm IG O/F
	Transom 546085/95 69mm IG T/Z
	Sash 546106/66 IG T/Z Sash
	Cill 150mm Deep Nose Cill
	Ventilator (Sash) 4000mm Vent
	Colour White
	Sash colour White
	Cill colour White
	Drainage Concealed/Base
	Handle Trinity White Handle
	Friction stay Restrictor Stay
	Viewed from Viewed from Inside
	Open in/out Open out
	Glazed in/out Glazed in
	Reinforcing rule Fully Reinforced

**Glazing Details & Apertures**

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian


Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (729 x 606) A4 - (729 x 644)

A7 - (631 x 508)

Notes :

34 Chamf IG S706 Casement	W59
O/A Sizes 840mm x 2070mm (Style 178)	Specification
	Frame (Head) 546185 72mm IG O/F
	Frame (Cill) 546185 72mm IG O/F
	Frame (Left jamb) 546185 72mm IG O/F
	Frame (Right jamb) 546185 72mm IG O/F
	Transom 546085/95 69mm IG T/Z
	Sash 546106/66 IG T/Z Sash
	Cill 150mm Deep Nose Cill
	Ventilator (Sash) 4000mm Vent
	Colour White
	Sash colour White
	Cill colour White
	Drainage Concealed/Base
	Handle Trinity White Handle
	Friction stay Restrictor Stay
	Viewed from Viewed from Inside
	Open in/out Open out
	Glazed in/out Glazed in
	Reinforcing rule Fully Reinforced

**Glazing Details & Apertures**

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian


Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (729 x 606) A4 - (729 x 644)

A7 - (631 x 508)

Notes :

35 Chamf IG S706 Casement	W58
O/A Sizes 840mm x 2070mm (Style 178)	Specification
	Frame (Head) 546185 72mm IG O/F
	Frame (Cill) 546185 72mm IG O/F
	Frame (Left jamb) 546185 72mm IG O/F
	Frame (Right jamb) 546185 72mm IG O/F
	Transom 546085/95 69mm IG T/Z
	Sash 546106/66 IG T/Z Sash
	Cill 150mm Deep Nose Cill
	Ventilator (Sash) 4000mm Vent
	Colour White
	Sash colour White
	Cill colour White
	Drainage Concealed/Base
	Handle Trinity White Handle
	Friction stay Restrictor Stay
	Viewed from Viewed from Inside
	Open in/out Open out
	Glazed in/out Glazed in
	Reinforcing rule Fully Reinforced

**Glazing Details & Apertures**

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian


Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (729 x 606) A4 - (729 x 644)

A7 - (631 x 508)

Notes :

36 Chamf IG S706 Casement	W57
O/A Sizes 910mm x 2160mm (Style 178)	Specification
	Frame (Head) 546185 72mm IG O/F
	Frame (Cill) 546185 72mm IG O/F
	Frame (Left jamb) 546185 72mm IG O/F
	Frame (Right jamb) 546185 72mm IG O/F
	Transom 546085/95 69mm IG T/Z
	Sash 546106/66 IG T/Z Sash
	Cill 150mm Deep Nose Cill
	Ventilator (Sash) 4000mm Vent
	Colour White
	Sash colour White
	Cill colour White
	Drainage Concealed/Base
	Handle Trinity White Handle
	Friction stay Restrictor Stay
	Viewed from Viewed from inside
	Open in/out Open out
	Glazed in/out Glazed in
	Reinforcing rule Fully Reinforced

**Glazing Details & Apertures**

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian


Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (799 x 636) A4 - (799 x 674)

A7 - (701 x 538)

Notes :

37 Chamf IG S706 Casement	W56
O/A Sizes 730mm x 1740mm (Style 14)	Specification
	Frame (Head) 546185 72mm IG O/F
	Frame (Cill) 546185 72mm IG O/F
	Frame (Left jamb) 546185 72mm IG O/F
	Frame (Right jamb) 546185 72mm IG O/F
	Transom 546085/95 69mm IG T/Z
	Sash 546106/66 IG T/Z Sash
	Cill 150mm Deep Nose Cill
	Ventilator (Sash) 4000mm Vent
	Colour White
	Sash colour White
	Cill colour White
	Drainage Concealed/Base
	Handle Trinity White Handle
	Friction stay Restrictor Stay
	Viewed from Viewed from inside
	Open in/out Open out
	Glazed in/out Glazed in
	Reinforcing rule Fully Reinforced

**Glazing Details & Apertures**


4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (619 x 781) A6 - (521 x 683)

Notes :

38 Chamf IG S706 Casement	W55
O/A Sizes 910mm x 1800mm (Style 14)	Specification
	Frame (Head) 546185 72mm IG O/F
	Frame (Cill) 546185 72mm IG O/F
	Frame (Left jamb) 546185 72mm IG O/F
	Frame (Right jamb) 546185 72mm IG O/F
	Transom 546085/95 69mm IG T/Z
	Sash 546106/66 IG T/Z Sash
	Cill 150mm Deep Nose Cill
	Ventilator (Sash) 4000mm Vent
	Colour White
	Sash colour White
	Cill colour White
	Drainage Concealed/Base
	Handle Trinity White Handle
	Friction stay Restrictor Stay
	Viewed from Viewed from inside
	Open in/out Open out
	Glazed in/out Glazed in
	Reinforcing rule Fully Reinforced


**Glazing Details & Apertures**

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (799 x 811) A6 - (701 x 713)

Notes :

39	Chamf IG S706 Casement	W54
O/A Sizes 910mm x 1800mm (Style 14)		Specification
		Frame (Head)
		Frame (Cill)
		Frame (Left jamb)
		Frame (Right jamb)
		Transom
		Sash
		Cill
		Ventilator (Sash)
		Colour
		Sash colour
		Cill colour
		Drainage
		Handle
		Friction stay
		Viewed from
		Open in/out
		Glazed in/out
		Reinforcing rule
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546085/95 69mm IG T/Z
		546106/66 IG T/Z Sash
		150mm Deep Nose Cill
		4000mm Vent
		White
		White
		White
		Concealed/Base
		Trinity White Handle
		Restrictor Stay
		Viewed from inside
		Open out
		Glazed in
		Fully Reinforced


Glazing Details & Apertures

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (799 x 811) A6 - (701 x 713)

Notes :

40	Chamf IG S706 Casement	W53
O/A Sizes 980mm x 1500mm (Style 14)		Specification
		Frame (Head)
		Frame (Cill)
		Frame (Left jamb)
		Frame (Right jamb)
		Transom
		Sash
		Cill
		Ventilator (Sash)
		Colour
		Sash colour
		Cill colour
		Drainage
		Handle
		Friction stay
		Viewed from
		Open in/out
		Glazed in/out
		Reinforcing rule
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546085/95 69mm IG T/Z
		546106/66 IG T/Z Sash
		150mm Deep Nose Cill
		4000mm Vent
		White
		White
		White
		Concealed/Base
		Trinity White Handle
		Restrictor Stay
		Viewed from inside
		Open out
		Glazed in
		Fully Reinforced


Glazing Details & Apertures

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (869 x 661) A6 - (771 x 563)

Notes :

41	Chamf IG S706 Casement	W68
O/A Sizes 810mm x 1340mm (Style 14)		Specification
		Frame (Head)
		Frame (Cill)
		Frame (Left jamb)
		Frame (Right jamb)
		Transom
		Sash
		Cill
		Ventilator (Sash)
		Colour
		Sash colour
		Cill colour
		Drainage
		Handle
		Friction stay
		Viewed from
		Open in/out
		Glazed in/out
		Reinforcing rule
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546085/95 69mm IG T/Z
		546106/66 IG T/Z Sash
		150mm Deep Nose Cill
		4000mm Vent
		White
		White
		White
		Concealed/Base
		Trinity White Handle
		Restrictor Stay
		Viewed from inside
		Open out
		Glazed in
		Fully Reinforced


Glazing Details & Apertures

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (699 x 581) A6 - (601 x 483)

Notes :

42	Chamf IG S706 Casement	W69
O/A Sizes 810mm x 1350mm (Style 14)		Specification
		Frame (Head)
		Frame (Cill)
		Frame (Left jamb)
		Frame (Right jamb)
		Transom
		Sash
		Cill
		Ventilator (Sash)
		Colour
		Sash colour
		Cill colour
		Drainage
		Handle
		Friction stay
		Viewed from
		Open in/out
		Glazed in/out
		Reinforcing rule
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546085/95 69mm IG T/Z
		546106/66 IG T/Z Sash
		150mm Deep Nose Cill
		4000mm Vent
		White
		White
		White
		Concealed/Base
		Trinity White Handle
		Restrictor Stay
		Viewed from inside
		Open out
		Glazed in
		Fully Reinforced


Glazing Details & Apertures

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (699 x 586) A6 - (601 x 488)

Notes :

43	Chamf IG S706 Casement	W52
O/A Sizes 860mm x 1500mm (Style 14)		Specification
		Frame (Head)
		Frame (Cill)
		Frame (Left jamb)
		Frame (Right jamb)
		Transom
		Sash
		Cill
		Ventilator (Sash)
		Colour
		Sash colour
		Cill colour
		Drainage
		Handle
		Friction stay
		Viewed from
		Open in/out
		Glazed in/out
		Reinforcing rule
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546085/95 69mm IG T/Z
		546106/66 IG T/Z Sash
		150mm Deep Nose Cill
		4000mm Vent
		White
		White
		White
		Concealed/Base
		Trinity White Handle
		Restrictor Stay
		Viewed from inside
		Open out
		Glazed in
		Fully Reinforced


Glazing Details & Apertures

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (749 x 661) A6 - (651 x 563)

Notes :

44	Chamf IG S706 Casement	A EXTRA
O/A Sizes 1350mm x 720mm (Style 14)		Specification
		Frame (Head)
		Frame (Cill)
		Frame (Left jamb)
		Frame (Right jamb)
		Transom
		Sash
		Cill
		Ventilator (Sash)
		Colour
		Sash colour
		Cill colour
		Drainage
		Handle
		Friction stay
		Viewed from
		Open in/out
		Glazed in/out
		Reinforcing rule
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546085/95 69mm IG T/Z
		546106/66 IG T/Z Sash
		150mm Deep Nose Cill
		4000mm Vent
		White
		White
		White
		Concealed/Base
		Trinity White Handle
		Std stay
		Viewed from inside
		Open out
		Glazed in
		Fully Reinforced


Glazing Details & Apertures

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (1239 x 266) A6 - (1141 x 178)

Notes :

45	Chamf IG S706 Casement	B EXTRA
	O/A Sizes 970mm x 750mm (Style 14)	Specification
		Frame (Head)
		Frame (Cill)
		Frame (Left jamb)
		Frame (Right jamb)
		Transom
		Sash
		Cill
		Ventilator (Sash)
		Colour
		Sash colour
		Cill colour
		Drainage
		Handle
		Friction stay
		Viewed from
		Open in/out
		Glazed in/out
		Reinforcing rule
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546185 72mm IG O/F
		546085/95 69mm IG T/Z
		546106/66 IG T/Z Sash
		150mm Deep Nose Cill
		4000mm Vent
		White
		White
		White
		Concealed/Base
		Trinity White Handle
		Std stay
		Viewed from Inside
		Open out
		Glazed in
		Fully Reinforced

Glazing Details & Apertures

4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge Georgian

Bar 18mm Bar White Std Joints Argon Gas Filled

A1 - (859 x 286) A6 - (761 x 188)

Notes :

It is the customers responsibility to check all information is correct as
Keyframe UK will not stand any cost should an order be placed based
on an incorrect quotation. All Quotes are valid for 30 days.

Surcharge	£0.00
Total	£0.00
VAT @ 20.00%	£0.00
Total (Incl. VAT)	£0.00

GLASS SIZES ONLY

Customer :	Energy Efficient Window System	Unglazed	Input Info :	08-04-2025 JoshW
Reference :	Millom	Supply only	Delivery :	
Job No. :	129528	Page 1 of 7	Print Info :	08-04-2025 12:13 pm

Keyframe UK Limited Units 31/32 Lyon Ind Estate Moss Road Kearsley, Bolton Lancashire BL4 8NB Tel: 01204 705718 Fax: 01204 705812	Invoice address: Energy Efficient Window Systems	Delivery address:
--	--	--------------------------

Item Ref	Qty	Width	Height	Glass type	Location	Cost
1 A1	1	1039	811	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W11	£0.00
1 A6	1	941	713	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W11	£0.00
2 A1	1	758	703	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W12 1 of 2	£0.00
2 A4	1	758	740	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W12 1 of 2	£0.00
2 A7	1	660	605	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W12 1 of 2	£0.00
3 A1	1	758	703	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W12 2 of 2	£0.00
3 A4	1	758	740	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W12 2 of 2	£0.00
3 A7	1	660	605	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W12 2 of 2	£0.00
4 A1	1	763	703	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W13 1 of 2	£0.00
4 A4	1	763	740	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W13 1 of 2	£0.00
4 A7	1	665	605	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W13 1 of 2	£0.00
5 A1	1	763	703	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W13 2 of 2	£0.00
5 A4	1	763	740	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W13 2 of 2	£0.00
5 A7	1	665	605	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W13 2 of 2	£0.00
6 A1	1	763	703	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W14 1 of 2	£0.00
6 A4	1	763	740	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W14 1 of 2	£0.00
6 A7	1	665	605	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W14 1 of 2	£0.00

GLASS SIZES ONLY

Customer :	Energy Efficient Window System			Unglazed	Input Info :	08-04-2025 JoshW	
Reference :	Millom			Supply only	Delivery :		
Job No. :	129528			Page 2 of 7	Print Info :	08-04-2025 12:13 pm	
7 A1	1	763	703	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W14 2 of 2	£0.00	
7 A4	1	763	740	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W14 2 of 2	£0.00	
7 A7	1	665	605	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W14 2 of 2	£0.00	
8 A1	1	761	703	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W15 1 of 2	£0.00	
8 A4	1	761	740	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W15 1 of 2	£0.00	
8 A7	1	663	605	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W15 1 of 2	£0.00	
9 A1	1	760	703	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W15 2 of 2	£0.00	
9 A4	1	760	740	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W15 2 of 2	£0.00	
9 A7	1	662	605	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W15 2 of 2	£0.00	
10 A1	1	1039	693	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W16	£0.00	
10 A4	1	1039	730	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W16	£0.00	
10 A7	1	941	595	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W16	£0.00	
11 A1	1	699	636	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W17	£0.00	
11 A6	1	601	538	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W17	£0.00	
12 A1	1	758	706	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W18 1 of 2	£0.00	
12 A4	1	758	744	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W18 1 of 2	£0.00	
12 A7	1	660	608	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W18 1 of 2	£0.00	
13 A1	1	758	706	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W18 2 of 2	£0.00	
13 A4	1	758	744	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W18 2 of 2	£0.00	
13 A7	1	660	608	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W18 2 of 2	£0.00	

GLASS SIZES ONLY

Customer :	Energy Efficient Window System	Unglazed	Input Info :	08-04-2025 JoshW
Reference :	Millom	Supply only	Delivery :	
Job No. :	129528	Page 3 of 7	Print Info :	08-04-2025 12:13 pm

14 A1	1	758	706	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W19 1 of 2	£0.00
14 A4	1	758	744	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W19 1 of 2	£0.00
14 A7	1	660	608	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W19 1 of 2	£0.00
15 A1	1	758	706	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W19 2 of 2	£0.00
15 A4	1	758	744	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W19 2 of 2	£0.00
15 A7	1	660	608	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W19 2 of 2	£0.00
16 A1	1	809	456	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W20	£0.00
16 A6	1	711	358	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W20	£0.00
17 A1	1	1299	544	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W21	£0.00
17 A6	1	1201	445	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W21	£0.00
18 A1	1	1299	544	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W22	£0.00
18 A6	1	1201	445	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W22	£0.00
19 A1	1	809	438	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W23	£0.00
19 A6	1	711	341	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W23	£0.00
20 A1	1	734	838	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W24	£0.00
20 A6	1	636	741	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W24	£0.00
21 A1	1	1029	796	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W25	£0.00
21 A6	1	931	698	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W25	£0.00
22 A1	1	724	623	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W26	£0.00
22 A4	1	724	660	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W26	£0.00

GLASS SIZES ONLY

Customer :	Energy Efficient Window System			Unglazed	Input Info :	08-04-2025 JoshW		
Reference :	Millom			Supply only	Delivery :			
Job No. :	129528			Page 4 of 7	Print Info :	08-04-2025 12:13 pm		
22 A7	1	626	525	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W26	£0.00
23 A1	1	724	623	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W27	£0.00
23 A4	1	724	660	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W27	£0.00
23 A7	1	626	525	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W27	£0.00
24 A1	1	799	766	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W28	£0.00
24 A6	1	701	668	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W28	£0.00
25 A1	1	809	766	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W29	£0.00
25 A6	1	711	668	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W29	£0.00
26 A1	1	709	643	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W35	£0.00
26 A4	1	709	680	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W35	£0.00
26 A7	1	611	545	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W35	£0.00
27 A1	1	709	643	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W36	£0.00
27 A4	1	709	680	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W36	£0.00
27 A7	1	611	545	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W36	£0.00
28 A1	1	649	776	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W34	£0.00
28 A6	1	551	678	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W34	£0.00
29 A1	1	789	839	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W34A	£0.00
29 A4	1	789	878	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W34A	£0.00
29 A7	1	691	741	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W34A	£0.00
30 A1	1	819	633	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled			W63	£0.00

GLASS SIZES ONLY

Customer :	Energy Efficient Window System			Unglazed	Input Info :	08-04-2025 JoshW	
Reference :	Millom			Supply only	Delivery :		
Job No. :	129528			Page 5 of 7	Print Info :	08-04-2025 12:13 pm	
30 A4	1	819	670	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W63	£0.00
30 A7	1	721	535	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W63	£0.00
31 A1	1	814	633	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W62	£0.00
31 A4	1	814	670	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W62	£0.00
31 A7	1	716	535	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W62	£0.00
32 A1	1	729	606	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W61	£0.00
32 A4	1	729	644	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W61	£0.00
32 A7	1	631	508	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W61	£0.00
33 A1	1	729	606	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W60	£0.00
33 A4	1	729	644	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W60	£0.00
33 A7	1	631	508	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W60	£0.00
34 A1	1	729	606	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W59	£0.00
34 A4	1	729	644	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W59	£0.00
34 A7	1	631	508	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W59	£0.00
35 A1	1	729	606	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W58	£0.00
35 A4	1	729	644	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W58	£0.00
35 A7	1	631	508	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W58	£0.00
36 A1	1	799	636	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W57	£0.00
36 A4	1	799	674	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W57	£0.00
36 A7	1	701	538	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled		W57	£0.00

GLASS SIZES ONLY

Customer :	Energy Efficient Window System	Unglazed	Input Info :	08-04-2025 JoshW
Reference :	Millom	Supply only	Delivery :	
Job No. :	129528	Page 6 of 7	Print Info :	08-04-2025 12:13 pm

37	A1	1	619	781	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W56	£0.00
37	A6	1	521	683	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W56	£0.00
38	A1	1	799	811	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W55	£0.00
38	A6	1	701	713	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W55	£0.00
39	A1	1	799	811	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W54	£0.00
39	A6	1	701	713	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W54	£0.00
40	A1	1	869	661	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W53	£0.00
40	A6	1	771	563	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W53	£0.00
41	A1	1	699	581	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W68	£0.00
41	A6	1	601	483	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W68	£0.00
42	A1	1	699	586	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W69	£0.00
42	A6	1	601	488	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W69	£0.00
43	A1	1	749	661	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W52	£0.00
43	A6	1	651	563	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	W52	£0.00
44	A1	1	1239	266	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	A EXTRA	£0.00
44	A6	1	1141	178	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	A EXTRA	£0.00
45	A1	1	859	286	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	B EXTRA	£0.00
45	A6	1	761	188	4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge : Georgian Bar 18mm Bar White Std Joints : Argon Gas Filled	B EXTRA	£0.00

Total weight 0.00 Kg

Energy Surcharge

Glass : £0.00

Total Order Cost : £0.00

GLASS SIZES ONLY

Customer :	Energy Efficient Window System	Unglazed	Input Info :	08-04-2025 JoshW
Reference :	Millom	Supply only	Delivery :	
Job No. :	129528	Page 7 of 7	Print Info :	08-04-2025 12:13 pm

SUMMARY OF UNGLAZED GLASS

Glass type	Units	Real Area	Cost Area	Cost
4-20-4 Planitherm Total+ T/Float Tuff : 20mm Black Warm Edge	115	55.16	55.58	£0.00
Georgian Bar 18mm Bar White Std Joints Argon Gas Filled				
Totals:	115	55.16	55.58	£0.00
Current V.A.T Rate : 20.00 %				£0.00
				£0.00