

NOVA GROUP


Double Glazing Systems

The complete service to the double glazing industry since 1971

Tel: 0161 613 9600
Fax: 0161 926 8405
Email: sales@novagroup.co.uk
Web: www.novagroup.co.uk
Vat Reg No: 884 2496 82
 Registered in England 1502265


Customer Details	Quote Details
Name: Stobbarts Ltd	Acc No: 2398
Address: T/A EE Window Systems Ltd Tarn Howe, Lakes Road Clay Flats, Workington Cumbria CA14 3YP	Quote No: N273194 Ref: Millom Library Quoted By: ColinW Quote Date: 25/06/2025 Comment:

Frame No: 1	Qty: 1	Location: 11.	Comment:
-------------	--------	---------------	----------




- Bevel Smooth White
- 1 1150x1800 Window (C4)
- eurocell casement system
- 1 1250mm: White 180mm cill (30)
- 1 5840mm: 75mm Outer
- 1 5840mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.829m²: Energy Surcharge 1
- 1 0.665m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 1030x805 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas F...
- 1 936x711 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...

Frame No: 2	Qty: 1	Location: 12	Comment:
-------------	--------	--------------	----------




- Bevel Smooth White
- 1 865x2360 Window (C4)
- eurocell casement system
- 1 2330mm: White 10mm Butt Joint
- 1 1840mm: White 180mm cill (30)
- 1 6390mm: 75mm Outer
- 1 6390mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.808m²: Energy Surcharge 1
- 1 0.645m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 745x1085 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas F...
- 1 651x991 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...

Frame No: 3	Qty: 1	Location: 12	Comment:
-------------	--------	--------------	----------




- Bevel Smooth White
- 1 865x2360 Window (C4)
- eurocell casement system
- 1 865mm: Customers own cill (30mm)
- 1 6390mm: 75mm Outer
- 1 6390mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.808m²: Energy Surcharge 1
- 1 0.645m²: Energy Surcharge 1
- 1 Lock Handle LH Chrome
- 1 Bevel Smooth White
- 1 745x1085 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas F...
- 1 651x991 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...

Frame No:	Qty:	Location:	Comment:
4	1	13	




- Bevel Smooth White
- 1 870x2360 Window (C4)
- eurocell casement system
- 1 2330mm: White 10mm Butt Joint
- 1 1840mm: White 180mm cill (30)
- 1 6400mm: 75mm Outer
- 1 6400mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.814m²: Energy Surcharge 1
- 1 0.650m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 750x1085 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas F...
- 1 656x991 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas Fi...

Frame No:	Qty:	Location:	Comment:
5	1	13	




- Bevel Smooth White
- 1 870x2360 Window (C4)
- eurocell casement system
- 1 870mm: Customers own cill (30mm)
- 1 6400mm: 75mm Outer
- 1 6400mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.814m²: Energy Surcharge 1
- 1 0.650m²: Energy Surcharge 1
- 1 Lock Handle LH Chrome
- 1 Bevel Smooth White
- 1 750x1085 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas F...
- 1 656x991 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas Fi...

Frame No:	Qty:	Location:	Comment:
6	1	14	




- Bevel Smooth White
- 1 870x2360 Window (C4)
- eurocell casement system
- 1 2330mm: White 10mm Butt Joint
- 1 1840mm: White 180mm cill (30)
- 1 6400mm: 75mm Outer
- 1 6400mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.814m²: Energy Surcharge 1
- 1 0.650m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 750x1085 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas F...
- 1 656x991 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas Fi...

Frame No:	Qty:	Location:	Comment:
7	1	14	




- Bevel Smooth White
- 1 870x2360 Window (C4)
- eurocell casement system
- 1 870mm: Customers own cill (30mm)
- 1 6400mm: 75mm Outer
- 1 6400mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.814m²: Energy Surcharge 1
- 1 0.650m²: Energy Surcharge 1
- 1 Lock Handle LH Chrome
- 1 Bevel Smooth White
- 1 750x1085 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas F...
- 1 656x991 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas Fi...

Frame No:	Qty:	Location:	Comment:
8	1	15	




- Bevel Smooth White
- 1 867x2360 Window (C4)
 - eurocell casement system
 - 1 2330mm: White 10mm Butt Joint
 - 1 1840mm: White 180mm cill (30)
 - 1 6394mm: 75mm Outer
 - 1 6394mm: Steel Fully Reinforced
 - 1 White Titon XS13 5000EA(5000) 497
 - 1 Securistyle Restrictor RC1
 - 1 0.810m²: Energy Surcharge 1
 - 1 0.647m²: Energy Surcharge 1
 - 1 Lock Handle RH Chrome
 - 1 Bevel Smooth White
 - 1 747x1085 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas F...
 - 1 653x991 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...

Frame No: 9 Qty: 1 Location: 15 Comment:




- Bevel Smooth White
- 1 867x2360 Window (C4)
 - eurocell casement system
 - 1 867mm: Customers own cill (30mm)
 - 1 6394mm: 75mm Outer
 - 1 6394mm: Steel Fully Reinforced
 - 1 White Titon XS13 5000EA(5000) 497
 - 1 Securistyle Restrictor RC1
 - 1 0.810m²: Energy Surcharge 1
 - 1 0.647m²: Energy Surcharge 1
 - 1 Lock Handle LH Chrome
 - 1 Bevel Smooth White
 - 1 747x1085 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas F...
 - 1 653x991 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...

Frame No: 10 Qty: 1 Location: 17 Comment:



- Bevel Smooth White
- 1 810x1450 Window (C4)
 - eurocell casement system
 - 1 910mm: White 180mm cill (30)
 - 1 4460mm: 75mm Outer
 - 1 4460mm: Steel Fully Reinforced
 - 1 White Titon XS13 5000EA(5000) 497
 - 1 Securistyle Restrictor RC1
 - 1 0.435m²: Energy Surcharge 1
 - 1 0.319m²: Energy Surcharge 1
 - 1 Lock Handle RH Chrome
 - 1 Bevel Smooth White
 - 1 690x630 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...
 - 1 596x536 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...


Frame No: 11 Qty: 1 Location: 18 Comment:



- Bevel Smooth White
- 1 865x2370 Window (C4)
 - eurocell casement system
 - 1 2340mm: White 10mm Butt Joint
 - 1 1840mm: White 180mm cill (30)
 - 1 6410mm: 75mm Outer
 - 1 6410mm: Steel Fully Reinforced
 - 1 White Titon XS13 5000EA(5000) 497
 - 1 Securistyle Restrictor RC1
 - 1 0.812m²: Energy Surcharge 1
 - 1 0.648m²: Energy Surcharge 1
 - 1 Lock Handle RH Chrome
 - 1 Bevel Smooth White
 - 1 745x1090 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas F...
 - 1 651x996 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...


Frame No: 12 Qty: 1 Location: 18 Comment:

Bevel Smooth White




- 1 865x2370 Window (C4)
- eurocell casement system
- 1 865mm: Customers own cill (30mm)
- 1 6410mm: 75mm Outer
- 1 6410mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.812m²: Energy Surcharge 1
- 1 0.648m²: Energy Surcharge 1
- 1 Lock Handle LH Chrome
- 1 Bevel Smooth White
- 1 745x1090 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas F...
- 1 651x996 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas Fi...

Frame No: 13 Qty: 1 Location: 19 Comment:




- Bevel Smooth White
- 1 865x2370 Window (C4)
- eurocell casement system
- 1 2340mm: White 10mm Butt Joint
- 1 1840mm: White 180mm cill (30)
- 1 6410mm: 75mm Outer
- 1 6410mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.812m²: Energy Surcharge 1
- 1 0.648m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 745x1090 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas F...
- 1 651x996 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas Fi...

Frame No: 14 Qty: 1 Location: 19 Comment:



- Bevel Smooth White
- 1 865x2370 Window (C4)
- eurocell casement system
- 1 865mm: Customers own cill (30mm)
- 1 6410mm: 75mm Outer
- 1 6410mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.812m²: Energy Surcharge 1
- 1 0.648m²: Energy Surcharge 1
- 1 Lock Handle LH Chrome
- 1 Bevel Smooth White
- 1 745x1090 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas F...
- 1 651x996 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas Fi...


Frame No: 15 Qty: 1 Location: 20 Comment:



- Bevel Smooth White
- 1 920x1090 Window (C4)
- eurocell casement system
- 1 1020mm: White 180mm cill (30)
- 1 3960mm: 75mm Outer
- 1 3960mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.360m²: Energy Surcharge 1
- 1 0.251m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 800x450 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas Fi...
- 1 706x356 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas Fi...


Frame No: 16 Qty: 1 Location: 16 Comment:

- Bevel Smooth White
- 1 1150x2330 Window (C4)
- eurocell casement system




- 1 1250mm: White 180mm cill (30)
- 1 6900mm: 75mm Outer
- 1 6900mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 1.102m²: Energy Surcharge 1
- 1 0.914m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 1030x1070 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas ...
- 1 936x976 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...

Frame No: 17 Qty: 1 Location: 21 Comment:




- Bevel Smooth White
- 1 1410x1265 Window (C31A)
- eurocell casement system
- 1 1510mm: White 180mm cill (30)
- 1 5290mm: 75mm Outer
- 1 5290mm: Steel Fully Reinforced
- 2 White Titon XS13 4400EA(4000) 411
- 1 Securistyle Restrictor RC1
- 2 0.336m²: Energy Surcharge 1
- 2 0.236m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Lock Handle LH Chrome
- 1 Bevel Smooth White
- 1 625x537 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...
- 1 625x537 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...
- 1 531x444 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...
- 1 531x444 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...

Frame No: 18 Qty: 1 Location: 22 Comment:



- Bevel Smooth White
- 1 1410x1265 Window (C31A)
- eurocell casement system
- 1 1510mm: White 180mm cill (30)
- 1 5290mm: 75mm Outer
- 1 5290mm: Steel Fully Reinforced
- 2 White Titon XS13 4400EA(4000) 411
- 2 Securistyle Restrictor RC1
- 2 0.336m²: Energy Surcharge 1
- 2 0.236m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Lock Handle LH Chrome
- 1 Bevel Smooth White
- 1 625x537 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...
- 1 625x537 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...
- 1 531x444 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...
- 1 531x444 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...

Frame No: 19 Qty: 1 Location: 24 Comment:



- Bevel Smooth White
- 1 845x1855 Window (C4)
- eurocell casement system
- 1 945mm: White 180mm cill (30)
- 1 5340mm: 75mm Outer
- 1 5340mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.603m²: Energy Surcharge 1
- 1 0.466m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1


725x832 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB

Gas Fi...

1 631x739 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB


Gas Fi...

Frame No: 20	Qty: 1	Location: 25	Comment:
--------------	--------	--------------	----------




- Bevel Smooth White
- 1 1140x1770 Window (C4)
- eurocell casement system
- 1 1240mm: White 180mm cill (30)
- 1 5760mm: 75mm Outer
- 1 5760mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.806m²: Energy Surcharge 1
- 1 0.644m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 1020x790 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas F...
- 1 926x696 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...

Frame No: 21	Qty: 1	Location: 69	Comment:
--------------	--------	--------------	----------




- Bevel Smooth White
- 1 810x1350 Window (C4)
- eurocell casement system
- 1 910mm: White 180mm cill (30)
- 1 4260mm: 75mm Outer
- 1 4260mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.400m²: Energy Surcharge 1
- 1 0.290m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 690x580 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...
- 1 596x486 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...

Frame No: 22	Qty: 1	Location: 23	Comment:
--------------	--------	--------------	----------



- Bevel Smooth White
- 1 920x1055 Window (C4)
- eurocell casement system
- 1 1020mm: White 180mm cill (30)
- 1 3890mm: 75mm Outer
- 1 3890mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.346m²: Energy Surcharge 1
- 1 0.239m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 800x432 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...
- 1 706x339 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...

Frame No: 23	Qty: 1	Location: 54	Comment:
--------------	--------	--------------	----------




- Bevel Smooth White
- 1 910x1800 Window (C4)
- eurocell casement system
- 1 1010mm: White 180mm cill (30)
- 1 5360mm: 75mm Outer
- 1 5360mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.636m²: Energy Surcharge 1
- 1 0.495m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 790x805 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...

1


696x711 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
Gas Fi...

Frame No: 24 Qty: 1 Location: 55 Comment:




- Bevel Smooth White
- 1 910x1800 Window (C4)
- eurocell casement system
- 1 1010mm: White 180mm cill (30)
- 1 5360mm: 75mm Outer
- 1 5360mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.636m²: Energy Surcharge 1
- 1 0.495m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 790x805 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...
- 1 696x711 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...

Frame No: 25 Qty: 1 Location: 56 Comment:




- Bevel Smooth White
- 1 730x1740 Window (C4)
- eurocell casement system
- 1 830mm: White 180mm cill (30)
- 1 4880mm: 75mm Outer
- 1 4880mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.473m²: Energy Surcharge 1
- 1 0.351m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 610x775 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...
- 1 516x681 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...

Frame No: 26 Qty: 1 Location: 57 Comment:




- Bevel Smooth White
- 1 910x2160 Window (C4)
- eurocell casement system
- 1 1010mm: White 180mm cill (30)
- 1 6080mm: 75mm Outer
- 1 6080mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.778m²: Energy Surcharge 1
- 1 0.620m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 790x985 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...
- 1 696x891 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...

Frame No: 27 Qty: 1 Location: 58 Comment:




- Bevel Smooth White
- 1 840x2070 Window (C4)
- eurocell casement system
- 1 940mm: White 180mm cill (30)
- 1 5760mm: 75mm Outer
- 1 5760mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.677m²: Energy Surcharge 1
- 1 0.530m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 720x940 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...
- 1 626x846 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
- Gas Fi...

Frame No: 28 Qty: 1 Location: 59 Comment:




- Bevel Smooth White
- 1 840x2070 Window (C4)
eurocell casement system
- 1 940mm: White 180mm cill (30)
- 1 5760mm: 75mm Outer
- 1 5760mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.677m²: Energy Surcharge 1
- 1 0.530m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 720x940 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
Gas Fi...
- 1 626x846 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
Gas Fi...

Frame No: 29 Qty: 1 Location: 60 Comment:




- Bevel Smooth White
- 1 840x2070 Window (C4)
eurocell casement system
- 1 940mm: White 180mm cill (30)
- 1 5760mm: 75mm Outer
- 1 5760mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.677m²: Energy Surcharge 1
- 1 0.530m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 720x940 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
Gas Fi...
- 1 626x846 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
Gas Fi...

Frame No: 30 Qty: 1 Location: 61 Comment:



- Bevel Smooth White
- 1 840x2070 Window (C4)
eurocell casement system
- 1 940mm: White 180mm cill (30)
- 1 5760mm: 75mm Outer
- 1 5760mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.677m²: Energy Surcharge 1
- 1 0.530m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 720x940 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
Gas Fi...
- 1 626x846 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
Gas Fi...


Frame No: 31 Qty: 1 Location: 34 Comment:



- Bevel Smooth White
- 1 760x1730 Window (C4)
eurocell casement system
- 1 860mm: White 180mm cill (30)
- 1 4920mm: 75mm Outer
- 1 4920mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.493m²: Energy Surcharge 1
- 1 0.369m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 640x770 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
Gas Fi...
- 1 546x676 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB
Gas Fi...


Frame No: 32 Qty: 1 Location: 35 Comment:

- Bevel Smooth White
- 1 820x2180 Window (C4)
eurocell casement system




- 1 920mm: White 180mm cill (30)
- 1 5940mm: 75mm Outer
- 1 5940mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.697m²: Energy Surcharge 1
- 1 0.546m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 700x995 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...
- 1 606x901 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...

Frame No: 33 Qty: 1 Location: 36 Comment:




- Bevel Smooth White
- 1 820x2180 Window (C4)
- eurocell casement system
- 1 920mm: White 180mm cill (30)
- 1 5940mm: 75mm Outer
- 1 5940mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.697m²: Energy Surcharge 1
- 1 0.546m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 700x995 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...
- 1 606x901 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...

Frame No: 34 Qty: 1 Location: 26 Comment:



- Bevel Smooth White
- 1 835x2120 Window (C4)
- eurocell casement system
- 1 935mm: White 180mm cill (30)
- 1 5850mm: 75mm Outer
- 1 5850mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.690m²: Energy Surcharge 1
- 1 0.541m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 715x965 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...
- 1 621x871 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...


Frame No: 35 Qty: 1 Location: 27 Comment:



- Bevel Smooth White
- 1 835x2120 Window (C4)
- eurocell casement system
- 1 935mm: White 180mm cill (30)
- 1 5850mm: 75mm Outer
- 1 5850mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.690m²: Energy Surcharge 1
- 1 0.541m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 715x965 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...
- 1 621x871 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...


Frame No: 36 Qty: 1 Location: 62 Comment:

- Bevel Smooth White
- 1 925x2150 Window (C4)
- eurocell casement system
- 1 1025mm: White 180mm cill (30)
- 1 6090mm: 75mm Outer




- 1 6090mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.789m²: Energy Surcharge 1
- 1 0.630m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 805x980 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...
- 1 711x886 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...

Frame No: 37 Qty: 1 Location: 63 Comment:




- Bevel Smooth White
- 1 930x2150 Window (C4)
- eurocell casement system
- 1 1030mm: White 180mm cill (30)
- 1 6100mm: 75mm Outer
- 1 6100mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.794m²: Energy Surcharge 1
- 1 0.634m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 810x980 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...
- 1 716x886 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...

Frame No: 38 Qty: 1 Location: 28 Comment:



- Bevel Smooth White
- 1 910x1710 Window (C4)
- eurocell casement system
- 1 1010mm: White 180mm cill (30)
- 1 5180mm: 75mm Outer
- 1 5180mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.600m²: Energy Surcharge 1
- 1 0.464m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 790x760 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...
- 1 696x666 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...


Frame No: 39 Qty: 1 Location: 29 Comment:



- Bevel Smooth White
- 1 920x1710 Window (C4)
- eurocell casement system
- 1 1020mm: White 180mm cill (30)
- 1 5200mm: 75mm Outer
- 1 5200mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.608m²: Energy Surcharge 1
- 1 0.470m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 800x760 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...
- 1 706x666 4 Soft Coat TUF /20 W E Bck/ 4 TUF Stick On Wht GB Gas Fi...

Frame No: 40 Qty: 1 Location: 70 Comment:


- Bevel Smooth White
- 1 980x1600 Window (C4)
- eurocell casement system
- 1 1080mm: White 180mm cill (30)
- 1 5100mm: 75mm Outer



980 x 1600

- 1 5100mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.606m²: Energy Surcharge 1
- 1 0.468m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 860x705 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas Fi...
- 1 766x611 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas Fi...


Frame No: 41	Qty: 1	Location: 53	Comment:
---------------------	---------------	---------------------	-----------------



980 x 1500

- Bevel Smooth White
- 1 980x1500 Window (C4)
- eurocell casement system
- 1 1080mm: White 180mm cill (30)
- 1 4900mm: 75mm Outer
- 1 4900mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.563m²: Energy Surcharge 1
- 1 0.430m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 860x655 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas Fi...
- 1 766x561 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas Fi...

Frame No: 42	Qty: 1	Location: 68	Comment:
---------------------	---------------	---------------------	-----------------



810 x 1340

- Bevel Smooth White
- 1 810x1340 Window (C4)
- eurocell casement system
- 1 910mm: White 180mm cill (30)
- 1 4240mm: 75mm Outer
- 1 4240mm: Steel Fully Reinforced
- 1 White Titon XS13 5000EA(5000) 497
- 1 Securistyle Restrictor RC1
- 1 0.397m²: Energy Surcharge 1
- 1 0.287m²: Energy Surcharge 1
- 1 Lock Handle RH Chrome
- 1 Bevel Smooth White
- 1 690x575 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas Fi...
- 1 596x481 4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas Fi...

Estimated Glass Sizes Only

PLEASE NOTE. All glass sizes are for quotation purposes ONLY and should not be used for manufacture until order has been confirmed.

Win No.	Desc	Qty	Glass Width	Glass Height	Thickness
1	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	1030	805	28	
1	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	936	711	28	
2	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	745	1085	28	
2	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	651	991	28	
3	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	745	1085	28	
3	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	651	991	28	
4	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	750	1085	28	
4	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	656	991	28	
5	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	750	1085	28	
5	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	656	991	28	
6	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	750	1085	28	
6	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	656	991	28	
7	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	750	1085	28	
7	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	656	991	28	
8	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	747	1085	28	
8	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	653	991	28	
9	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	747	1085	28	
9	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	653	991	28	
10	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	690	630	28	
10	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	596	536	28	
11	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	745	1090	28	
11	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	651	996	28	
12	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	745	1090	28	
12	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	651	996	28	
13	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	745	1090	28	
13	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	651	996	28	
14	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	745	1090	28	
14	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	651	996	28	
15	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	800	450	28	
15	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	706	356	28	
16	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	1030	1070	28	
16	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	936	976	28	
17	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	625	537	28	
17	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	625	537	28	
17	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	531	444	28	
17	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	531	444	28	
18	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	625	537	28	
18	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	625	537	28	
18	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	531	444	28	
18	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	531	444	28	
19	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	725	832	28	
19	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	631	739	28	
20	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	1020	790	28	
20	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	926	696	28	
21	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	690	580	28	
21	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	596	486	28	
22	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	800	432	28	

Estimated Glass Sizes Only

PLEASE NOTE. All glass sizes are for quotation purposes ONLY and should not be used for manufacture until order has been confirmed.

Win No.	Desc	Qty	Glass Width	Glass Height	Thickness
22	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	706	339	28	
23	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	790	805	28	
23	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	696	711	28	
24	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	790	805	28	
24	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	696	711	28	
25	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	610	775	28	
25	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	516	681	28	
26	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	790	985	28	
26	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	696	891	28	
27	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	720	940	28	
27	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	626	846	28	
28	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	720	940	28	
28	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	626	846	28	
29	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	720	940	28	
29	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	626	846	28	
30	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	720	940	28	
30	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	626	846	28	
31	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	640	770	28	
31	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	546	676	28	
32	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	700	995	28	
32	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	606	901	28	
33	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	700	995	28	
33	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	606	901	28	
34	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	715	965	28	
34	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	621	871	28	
35	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	715	965	28	
35	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	621	871	28	
36	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	805	980	28	
36	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	711	886	28	
37	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	810	980	28	
37	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	716	886	28	
38	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	790	760	28	
38	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	696	666	28	
39	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	800	760	28	
39	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	706	666	28	
40	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	860	705	28	
40	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	766	611	28	
41	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	860	655	28	
41	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	766	561	28	
42	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	690	575	28	
42	4 Soft Coat TUF /20 W E Blck/ 4 TUF Stick On Wht GB Gas 1	596	481	28	