



The Coal
Authority



INVESTOR IN PEOPLE



RTPI

Learning Partner

200 Lichfield Lane
Berry Hill
Mansfield
Nottinghamshire
NG18 4RG

Tel: 01623 637 119 (Planning Enquiries)

Email: planningconsultation@coal.gov.uk

Web: www.gov.uk/coalauthority

For the Attention of: Ms S. Papaleo – Case Officer
Copeland Borough Council

[By Email: development.control@copeland.gov.uk]

24 April 2023

Dear Ms Papaleo

PLANNING APPLICATION: 4/23/2088/0F1

Proposed residential development for 23 dwellings including associated infrastructure and landscaping (resubmission of 4/22/2135/0F1) at Land at Harras Road, Harras Park, Whitehaven

Thank you for your consultation letter of 13 April 2023 seeking the views of the Coal Authority on the above planning application.

The Coal Authority is a non-departmental public body sponsored by the Department for Energy Security and Net Zero. As a statutory consultee, the Coal Authority has a duty to respond to planning applications and development plans in order to protect the public and the environment in mining areas.

The Coal Authority Response: Material Consideration

I have reviewed the site location plans and the proposals and supporting information available to view on the LPA website and can confirm that part of the application site falls within the defined Development High Risk Area.

The Coal Authority's information indicates that the potential zone of influence of recorded off-site mine shaft 298518-001 encroaches marginally into the application site (the landscaped verge area adjacent to Harras Road).

However, the part of the site where the built development is proposed actually lies outside of the defined High Risk Area. Therefore, we do not consider that a Coal Mining Risk Assessment is necessary to support this proposal and we **do not object** to this planning application.

Although the proposed development will be located outside the defined Development High Risk Area, as the site lies within an area where coal mining activity has taken place, it is requested that the following wording is included as an Informative Note on any planning permission granted:

The proposed development lies within a coal mining area which may contain unrecorded coal mining related hazards. If any coal mining feature is encountered during development, this should be reported immediately to the Coal Authority on 0800 288 4242.

Further information is also available on the Coal Authority website at:
www.gov.uk/government/organisations/the-coal-authority

Please do not hesitate to contact me if you would like to discuss this matter further.

Yours sincerely

James Smith

James Smith *BSc. (Hons), Dip.URP, MRTPI*
Planning and Development Manager

Disclaimer

The above consultation response is provided by the Coal Authority as a Statutory Consultee and is based upon the latest available coal mining data on the date of the response, and electronic consultation records held by the Coal Authority since 1 April 2013. The comments made are also based upon only the information provided to the Coal Authority by the Local Planning Authority and/or has been published on the Council's website for consultation purposes in relation to this specific planning application. The views and conclusions contained in this response may be subject to review and amendment by the Coal Authority if additional or new data/information (such as a revised Coal Mining Risk Assessment) is provided by the Local Planning Authority or the applicant for consultation purposes.