






Typical Section Through 1200Ø Manholes > 1.5m to Soffit
SCALE 1:20




Typical Section Through 1500Ø Manholes > 1.5m to soffit
SCALE 1:20




Plan on Headwall
SCALE 1:20




Pipe Bedding For 100Ø Pipes in Hard Landscaped Areas
SCALE 1:20




Pipe Bedding For 100Ø Pipes in Soft Landscaped Areas
SCALE 1:20



Type 7 Embedment Class S For 150Ø Pipes in Hard Landscaped Areas
SCALE 1:20




Type 7 Embedment Class S For 150Ø Pipes in Soft Landscaped Areas
SCALE 1:20




Type 7 Embedment Class S For 225Ø Pipes in Hard Landscaped Areas
SCALE 1:20

NOTE
Outfall works require Ordinary Watercourse Land Drainage Consent from the LLFA prior to undertaking any site works. Reference should be made to a site specific Risk Assessment and Method Statement to include as minimum the following:


- Minimum disruption/unwanted effects on the watercourse (dry working area/over pumping etc).
- Pollution control (silt/sand/concrete/oil/fuel etc).
- Action to be taken if a pollution incident occurred in or around the watercourse.
- Weather watch details - including action to be taken if increased watercourse flow is experienced or forecasted.
- Site clearance/reinstatement at the end of the works.




Section Through Headwall
SCALE 1:20



Elevation on Headwall
SCALE 1:20



Typical Inspection Chamber Detail
SCALE 1:20



Typical 600Ø Chamber Detail
SCALE 1:20

Rev	Description	Date	Revised by	Checked by	Approved
Issue Purpose:	Approval				

Do not scale from this drawing

R G PARKINS
Kendal | 01539 729393 | Lancaster | 01524 32548

Client: Mr & Mrs A. Casson
Project: Trumpet Road, Cleator Moor
Drawing Title: General Drainage Construction Details

Scale @ A1:	First Issue:	Office of Origin:
1:20	06/07/23	Kendal
Drawn by:	Checked by:	Approved:
SR	TM	TM
Project No:	Drawing No:	Rev:
K39288	13	
BIM No:		