

Kitemark™ Certificate

This is to certify that:

Camden Group
Unit 4 - 7
Steeple Road Industrial Estate
Antrim
BT41 1AB
United Kingdom

Holds Certificate Number:

KM 75191


In respect of:

BS 7412 / PAS 24
Enhanced Security PVCU Windows Fabricator

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI:



Chris Lewis - Certification Director, Product Certification

First Issued: 2005-10-31

Latest Issue: 2019-01-25

Effective Date: 2019-01-25

Expiry Date: 2022-01-24

Page: 1 of 3



...making excellence a habit.™

Kitemark™ Certificate

No. KM 75191

BS 7412:2007 / PAS 24:2016 - Enhanced security performance requirements for window assemblies.

This Certificate covers the fabrication of windows to the following system design specification from the range of profiles supplied by Camden Group under Certificate Number KM 571966.
Only those components that have been approved in accordance with the Kitemark scheme requirements can be incorporated within the system(s) detailed.

System(s):	Inliten PVC-U Window System
Fabrication and Installation:	Fabricated and installed in accordance with the latest issue(s) of the following controlled manual(s): Inliten System Overview PAS 24 Enhanced Security for Windows
System description:	The windows are double glazed only, internally beaded only, multipoint locking only, with welded and/or mechanically fixed transoms/mullions, tee and/or cruciform joints. Hardware Inliten espagnolette locking system.
Ventilation:	None
Window Types:	Casement windows Tilt/Turn windows Fixed windows

First Issued: 2005-10-31
Latest Issue: 2019-01-25

Effective Date: 2019-01-25
Expiry Date: 2022-01-24

Kitemark™ Certificate

No. KM 75191

Size Limitations and Performance Characteristics Inliten PVC-U Window System

Window Type	Length (mm) - Maximum	Height (mm) - Maximum	Area (m ²) - Maximum	Friction Stays (up to and including)	Transom/Mullion Length (mm) inc frame - Maximum	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1:2004 (except *)
Sash dimensions for windows with approved sash profiles									
Projecting top hung	1150	1235	-	24"	-	3	E1050	1600	1600
Projecting side hungs	665	1235	-	16"	-	3	8A	A3	2000
Tilt/turns	1495	1100	-	-	-	4	E1050	AE2400	2400
Overall dimensions for windows with approved outer frame profiles									
Fixeds	3000	2000	-	-	-	4	E1050	A5	2000

First Issued: 2005-10-31
Latest Issue: 2019-01-25

Effective Date: 2019-01-25
Expiry Date: 2022-01-24

Page: 3 of 3

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.