Biodiversity Net Gain Assessment and Planting Plan

General Purpose & Covered Manure Store Low Shaw Farm, The Green, Millom

3rd June 2025

Report 0625/2

Report commissioned by;

Karl Fox Fox Architectural Design Ltd

On behalf of: Andrew Wearing Report prepared by;



Tamsin Douglas MSc MCIEEM 13 Rydal Road Ulverston LA12 9BU 07751 566848

mail@southlakesecology.co.uk

EXECUTIVE SUMMARY

The local planning authority have requested a Biodiversity Net Gain (BNG) assessment for the proposed construction of an agricultural building on agricultural land at Low Shaw Farm, The Green, Millom. BNG principles require a 10% gain in wildlife habitats post construction.

This report describes the existing habitats on site (using UK Habitats classification criteria) and provides an assessment of their condition, as well as any habitat losses as a direct consequence of the proposed development. The habitat value of the site was calculated using DEFRA's Statutory Metric.

Enhancement measures are described in the report, and implementation (planting plans), management, and monitoring plans are included.

A desktop search for statutory protected sites and priority habitats was undertaken. There are no such sites within the red line boundary, but there are three statutory sites within 70m of the project. The proximity of the protected site to the proposed development, and the nature of the proposals, mean that the <u>Planning Authority will need to consult with Natural</u> England about the potential impacts the development.

The area in the red line boundary is classed as coastal floodplain & grazing marsh protected habitat. The location of the proposed development alongside existing farm buildings and the farmhouse means that the land is unlikely to be of value to waders and wildfowl (characteristic fauna of the coastal grazing marsh priority habitat).

There are four further areas of priority habitat between 160 and 500m of the project. There are no foreseen direct or indirect impacts on these habitats as a result of this project.

The planning boundary is on agricultural land, originally comprising g4 modified grassland, and an existing building. The grassland has been cleared to facilitate the development, but adjacent habitat (in the same land parcel) was used as a proxy for the BNG calculations.

The agricultural grassland is a low distinctiveness habitat in ecological terms. The condition assessment classed this grassland as 'moderate' ecological condition due to low stored material on the grassland and amount of bare ground. About half of the grassland area will be lost as a result of the construction of the building (the remainder will be re-instated post works).

The loss of the grassland can be compensated by planting 13 trees alongside the new building. The planting of these will result in a 11.48% uplift in biodiversity units on site.

An implementation/ planting plan is included which describes species of tree to be planted, and methods of protecting the new saplings from browsing damage – which will need to be in place to ensure the success of the planting.

The enhanced habitats need to be managed sympathetically for a minimum of 30 years to offset the biodiversity loss, and trees need to attain 'good ecological condition' within this timeframe.

Contents

| 1. IN | TRODUCTION | .4 |
|--------|---|----|
| 1.1 | The aim of the report | .4 |
| 1.2 | Biodiversity net gain | .4 |
| 1.3 | Proposed works | .4 |
| 1.4 | The survey area | 4 |
| | | |
| | JRVEY METHOD | |
| | Desktop study | |
| | Habitat survey | |
| 2.3 | Survey constraints | .5 |
| ۰ . | A OFLINE FOOL COLOAL CONDITIONS | ^ |
| | ASELINE ECOLOGICAL CONDITIONS | |
| | Desktop survey results | |
| 3.2 | Habitat survey results | ٥. |
| 4. BI | ODIVERSITY NET GAIN ASSESSMENT | .8 |
| | Rationale | |
| | Additional considerations | |
| | Metric calculations and conclusions | |
| | | |
| | LEMENTATION and MONITORING | |
| 5.1 | Planting plan | |
| 5.2 | Management plan1 | |
| 5.3 | Monitoring | 1 |
| 6 DE | FERENCES | 11 |
| O. INL | I ENLINCES | |
| APPE | NDICES | |
| | Figure 4: Habitat Map – Existing habitats and proposed enhancements13 | |
| | Condition assessment – modified grassland14 | 1 |
| | Photographs15 | |

1. INTRODUCTION

1.1 The aim of the report

The aim of the report is to make an assessment of the baseline ecological conditions present on land at Low Shaw Farm, The Green and to compare these conditions with the likely ecological status of the site after the development, both with and without enhancement measures. Ecological enhancement measures will be designed to ensure that the completed project results in a measurable gain to local habitats. Implementation, management and monitoring plans will be included for the lifetime of the project (30 years), including a planting plan.

This report follows technical guidelines provided by CIEEM (Chartered Institute of Ecology and Environmental Management) and the habitat was mapped following UK Habitat Classification guidance (see Appendices for full references).

1.2 Biodiversity Net Gain

Following the Environment Bill 2021, a demonstrable net gain in biodiversity is required for most new developments (with some specific exceptions). This is mandatory for most projects from 12th February 2024, and for small sites from 2nd April 2024. As part of the assessment the current biodiversity value of the landholding is calculated, and compared with the likely biodiversity value of the land after the development after taking account of enhancement measures prescribed by the ecologist. The aim is for a minimum of a 10% gain in biodiversity value of the land after completion of the development.

The standard means of calculating Biodiversity Net Gain (BNG) is using the Statutory DEFRA Matrix. The full details and calculations are included in the appendices.

1.3 Proposed works

The proposed works involve construction of a new General Purpose & covered Manure Store on existing agricultural land, adjacent to an existing agricultural building.

1.4 Location

The property is located north of Green Road Station on the Duddon Estuary (grid reference of proposed building SD1959 8471).




Figure 1: Location of proposed development

OS Map copied under licence (No. 100055725)

2. SURVEY METHOD

2.1 Desktop study

The DEFRA Magic website (www.magic.gov.uk) was used to ascertain whether any priority habitats has been identified on, or adjacent to, the site. Natural England and JNCC websites were used to obtain boundaries of any statutorily designated sites in the area.

2.2 Walkover survey

The walkover survey was carried out by Tamsin Douglas MCIEEM (South Lakes Ecology) on April 29th 2025. Weather was sunny, dry and mild with light winds.

Habitats within the survey area were classed into standard UK Habitats Classification categories (UKHab 2023). The Professional edition of the UKHab guidance was followed, and habitats classed to level 5 of the hierarchy were applicable. An assessment was also made of the condition of the habitats on site, following guidance described in the BNG Metric methodology.

2.3 Survey constraints

There were no constraints on access.

The time of year was not ideal for assessing botanical quality of the more diverse type grasslands, as many plants (especially herbs) are still senescent. The location and management of the site, and presence of agricultural grass species (dominated by ryegrass), as well as herbs typical of richer soil conditions meant that the vegetation on site could confidently be classed as a more agricultural habitat.

3. BASELINE ECOLOGICAL CONDITIONS

3.1 Desktop survey results

3.1.1 Protected and statutory sites search

There are no statutory protected sites on the site of the development. Duddon Estaury SSSI, Morecambe Bay and Duddon Estuary SPA and Morecambe Bay SAC are all in close proximity – the closest point being 70m to the south of the proposed development.

The proximity of the protected site to the proposed development, and the nature of the proposals, mean that the Planning Authority will need to consult with Natural England about the potential impacts the development could have on the afore-mentioned sites.

3.1.2 Notable habitats search

The Magic website indicated that habitat on site is listed as coastal & floodplain grazing marsh. There are four further areas of priority habitat within 500m. Salt marsh is located 160m to the east, lowland fen 130m to the south-west, lowland raised bog 300m to the north-west, and deciduous woodland 230m to the north. The proposed development is highly unlikely to have any impacts on these nearby priority habitats.

Coastal and floodplain grazing marsh is a characteristic habitat of the western Cumbrian coast, identified through land management and water regime rather than botanical characteristics. It is notable for the bird life that it can support (breeding and wintering waders, wintering and migratory wildfowl), as well as locally important species such as natterjack toad. The grassland in and around the red line boundary has no ponds to support natterjack toads, and is considered to be too close to the farm buildings to support breeding waders or significant numbers of feeding and resting waders/ wildfowl.

3.2 Habitat survey results

The habitats were mapped, following UKHab methodology (see methods section and appendices), as shown in Figure 2 below. Descriptions of the major habitats are given in section 3.2.2 below.

Photographs of the area of the proposed works are provided at the end of the report.

3.2.1 Habitats recorded within survey area

- g4 Modified grassland
- u1b Existing building

3.2.2 Habitat descriptions

g4 - Modified grassland

This is grassland that is regularly and intensively managed for amenity use or agricultural purposes. This grassland is grazed/ cut for silage and comprises many species typical of more agricultural and nutrient enriched settings.

The area within the red line boundary is currently predominantly bare ground as the client has commenced some levelling of the ground in preparation for the new building. Recent online aerial images show the area as grassland, so the adjacent grassland (in the same land parcel) was assessed as a proxy for this area, and the area was mapped as being grassland. Approximately half of this grassland will be lost to the development.

u1b - Existing building

There is a modern agricultural barn to the immediate north of the proposed new barn. This has concrete base, wood panel walls and corrugate roof.

There are no boundary hedgerows or trees within the red line area.




Figure 2. Habitat map of land inside the red line boundary of the project

3.2.3 Habitat condition assessments

To use the standard statutory metric, a condition assessment was carried out on the modified grassland (see appendices for detail).

The grassland is currently ungrazed so has a varied structure. It is dominated by rye grass, with other agricultural grass species present. There are several herbs present- creeping buttercup, white clover, daisy and cuckoo flower, as well as occasional dock. The grassland is subject to some damage from machinery and storage of equipment and materials, and has significant areas of bare ground – making it moderate ecological quality agricultural grassland. Approximately half of this grassland will be lost to the development.

The existing building does not require a habitat condition assessment.

4. Biodiversity Net Gain assessment

4.1 Rationale

The principles of Biodiversity Net Gain (BNG) are enshrined in local planning policy, and an assessment is required for most new developments (with some specific exceptions). The local planning authority (Cumberland Council) has requested a BNG assessment for this development, with a target increase of 10%. Habitats enhanced or retained as part of the BNG calculation need to be managed appropriately for a minimum of 30 years to satisfy the requirements of the metric.

Using the habitat condition assessments above, the impact of the proposals on the conservation value of the habitats has been calculated using DEFRA's Statutory Metric. Detailed results are in the appendices and the calculation tool Excel file attached separately, but summary results are shown in 4.3 below.

4.2 Proposed measures

There will be a small loss of grassland (465m²) resulting from the construction of the agricultural building. The grassland on site is agricultural quality pasture ("g4 modified grassland") which has a low distinctiveness score in the BNG calculations. The remaining grassland in the red line boundary will be retained (and re-instated to g4 grassland after construction is complete).

The loss of the grassland can be compensated by planting 13 trees. Hawthorn, willow, crab apple, rowan or birch are recommended for the habitats present.

4.3 Metric calculations and conclusions

The proposed development will result in the net loss of 465m² of moderate condition g4 modified grassland. This equates to a loss of 0.19 habitat units from the 0.31 units present in the planning boundary.

The planting of 13 trees provides 0.22 units, this equates to an uplift of 11.48% in biodiversity units on the site.

All trading rules have been followed.

A copy of the headline results page of the BNG calculation is shown in Figure 3 below.

Figure 3. Headline results, showing required gain is achievable.

| Low Shaw Farm phase 1 | | | | | | |
|--|-------------------|--------|--------|--|--|--|
| He ad line Re sults results menu | | | | | | |
| Scroll down for final results A | | | | | | |
| | Hab itat units | 0.31 | | | | |
| On-site baseline | Hedgerow units | 0.00 | | | | |
| | Watercourse units | 0.00 | | | | |
| 0 '' '' '' | Hab itat units | 0.35 | | | | |
| On-site post-intervention | Hedgerow units | 0.00 | | | | |
| (Including habitat retention, creation & enhancement) | Watercourse units | 0.00 | | | | |
| 0 1 | Hab itat units | 0.04 | 11.48% | | | |
| On-site net change | Hedgerow units | 0.00 | 0.00% | | | |
| (units & percentage) | Watercourse units | 0.00 | 0.00% | | | |
| | | | | | | |
| | Hab itat units | 0.00 | | | | |
| Off-site baseline | Hedgerow units | 0.00 | | | | |
| | Watercourse units | 0.00 | | | | |
| Official and in the control of the c | Hab itat units | 0.00 | | | | |
| Off-site post-intervention | Hedgerow units | 0.00 | | | | |
| (Including habitat retention, creation & enhancement) | Watercourse units | 0.00 | | | | |
| 0.5 | Hab itat units | 0.00 | 0.00% | | | |
| Off-site net change | Hedgerow units | 0.00 | 0.00% | | | |
| (units & percentage) | Watercourse units | 0.00 | 0.00% | | | |
| | | | | | | |
| C 1: 1 | Hab itat units | 0.04 | | | | |
| Combined net unit change | Hedgerow units | 0.00 | | | | |
| (Including all on-site & off-site habitat retention, creation & enhancement) | Watercourse units | 0.00 | | | | |
| | Hab itat units | 0.00 | | | | |
| Spatial risk multiplier (SRM) deductions | Hedgerow units | 0.00 | | | | |
| | Watercourse units | 0.00 | | | | |
| | | | | | | |
| FINAL RESULTS | | | | | | |
| | Hab itat units | 0.04 | | | | |
| Total net unit change | Hedgerow units | 0.00 | | | | |
| (Including all on-site & off-site habitat retention, creation & enhancement) | Watercourse units | 0.00 | | | | |
| | Hab itat units | 11.48% | | | | |
| Total net % change | Hedgerow units | 0.00% | | | | |
| (Including all on-site & off-site habitat retention, creation & enhancement) | Watercourse units | 0.00% | | | | |
| Trading rules satisfied? | Yes | / | | | | |

5. Implementation and monitoring

5.1 Planting plan

Thirteen trees will be planted to compensate for the loss of the grassland. Suitable species would be hawthorn (*Crataegus monogyna*), elder (*Sambucus nigra*), goat/grey willow (*Salix capra/ cinerea*), crab apple (*Malus sylvestris*), rowan (*Sorbus aucuparia*) or birch (*Betula pendula*) for the habitats present on site.

Given the agricultural setting, it is recommended that trees are cluster planted in cages, rather than planted individually in tree guards – this minimises the risk of damage to the young trees from stock or agricultural machinery. At least 3 different species should be planted across the three planter cages – a suggestion would be one rowan and three hawthorn in two cages, and two crab apple and three willow in the third cage (making a total of 2 rowan, 6 hawthorn, 2 crab apple and 3 willow). Trees should be native, sourced from a reputable supplier, and certified disease free.

The trees are best planted bare-rooted (1.25-1.5m height) over the winter months (November to March- ideally in March), with a minimum gap of 2m between trees to allow them to develop full crowns. They should not be planted in extremely wet or cold conditions.

Given the location within agricultural pasture they will need to be protected from stock and deer browsing, and from damage from agricultural machinery. A temporary post and rail guard with mesh fencing is recommended (see photo below) rather than using tall plastic guards as sheep can just knock these over. They may need to be higher than the image shown to prevent damage from deer. Vole guards should be in place initially to prevent damage from small mammals.

Three mesh cages will be required - the trees can be planted as a cluster in each one of the mesh cages. The cage would need to be at least 2.5m by 2.5m to ensure adequate space for the trees to spread.



Image 1. Recommended style of tree protection for in-field trees

5.2 Management plan

The trees need to attain good ecological condition status within the 30 year timeframe of the project. To achieve this they should be permitted to grow tall and develop full crowns (minimal pruning), and have vegetation beneath them (as opposed to concrete/hardstanding).

Vole guards should be removed once the trees are well established. Fencing/ cage guards should only be removed once the trees are beyond the risk of damage from sheep – probably after 10 years of growth.

5.3 Monitoring

The trees should be checked annually to ensure that they are establishing well. If any saplings fail to establish they should be replaced with another suitable native species.

6. REFERENCES

Butcher B., Carey P., Edmonds R., Norton L. and Treweek J. (2023) The UK Habitat Classification User Manual version 2.01 www.ukhab.org

Cumbria Biodiversity Data Centre https://www.cbdc.org.uk/data-services/cumbria-biodiversity-evidence-base/cbeb-interactive-map/

DEFRA (2007) Hedgerow Survey Handbook

DEFRA Metric Details and calculation tools for BNG and condition assessment https://www.gov.uk/government/publications/statutory-biodiversity-metric-tools-and-guides

Halliday G. (1997) A Flora of Cumbria University of Lancaster

Institute of Ecology and Environmental Management, Professional Guidance Series (CIEEM www.cieem.net) [Members only]

NCC (1990) Handbook for Phase 1 Habitat Survey JNCC Peterborough

Preston C.D., Pearman D.A. & Dines T.D. (2002) New Atlas of the British and Irish Flora Oxford University Press


Stace C.(2010) New Flora of the British Isles 3rd edition Cambridge University Press

www.magic.gov.uk (Information on priority habitats, species and protected sites)

www.jncc.defra.gov.uk (Information on legal framework, BAP species and habitats)

Biodiversity net gain assessment, Low Shaw Farm

APPENDICES



Appendix 1. Figure 4: Habitat Map - post development

This map gives an indication of where the trees should be planted, but this can be flexible within the limits of the planning boundary and other constraints (such as gate access), as long they are a minimum of 5m from the new building.

Appendix 2. Condition assessment – modified grassland

| O NY OL CONCOLANDULY (T. A. NY C. | | | | | | | | | | |
|---|---|---|--|--|--|--|--|--|--|--|
| Condition Sheet: GRASSLAND Habitat Type (low distinctiveness) UK Habitat Classification (UKHab) Habitat Type | | | | | | | | | | |
| Grassland - Modified grassland | | | | | | | | | | |
| | n-site or off-site, site name and cation | Low Shaw Farm | Survey date and Surveyor name | 29th April 2025 Tamsin Douglas MCIEEM | | | | | | |
| Limitations (if applicable) | | Damaged grassland in 1st phase, so classificaiton of remaining grassland in the land parcel used retrospectively on all land parcel | Survey reference (if relating to a wider survey) | | | | | | | |
| | id reference | | Habitat parcel reference | | | | | | | |
| Habitat Description Agricultural grassland. Some structure as no currently managed. Extensive damage from works and storage of machinery and materials. Lolium dominated, with daisy creeping buttercup clover and cuckooflower. Docks pesent but rare. | | | | | | | | | | |
| uk | hab – UK Habitat Classification | | | | | | | | | |
| Co | ondition Assessment Criteria | | Criterion passed (Yes or No) | Notes (such as justification) | | | | | | |
| А | include those listed in Footnote 1 or Good condition. Where the vascular plant species distinctiveness grassland, or their (excluding those listed in Footnowhether the grassland should ins | cies per m² present, including at least 2 forbs (these may). Note - this criterion is essential for achieving Moderate s present are characteristic of medium, high or very high te are 9 or more of these characteristic species per m² te 1), please review the full UKHab description to assess stead be classified as a higher distinctiveness grassland. Where n, high, or very high distinctiveness, please use the relevant | Y | | | | | | | |
| В | , | 0% of the sward is less than 7 cm and at least 20% is more s which provide opportunities for vertebrates and invertebrates | Y | As unmanaged - normally it would fail this criteria when sheep grazed or silaged | | | | | | |
| С | scrub such as bramble Rubus fru | ess than 20% of the total grassland area. (Some scattered ticosus agg. may be present). | Y | | | | | | | |
| D | damage include excessive poach | ss than 5% of total grassland area. Examples of physical ing, damage from machinery use or storage, erosion caused by er damaging management activities. | N | Extensive damage, bare ground and storage of soil, material and equipment | | | | | | |
| E | Cover of bare ground is between concentration of rabbit warrens) ² | 1% and 10%, including localised areas (for example, a . | N | | | | | | | |
| F | Cover of bracken Pteridium aqui | linum is less than 20%. | Y | | | | | | | |
| G | There is an absence of invasive | non-native plant species ³ (as listed on Schedule 9 of WCA ⁴). | Y | | | | | | | |
| | | Essential criteri | on achieved (Yes or No) | | | | | | | |
| | | Nu | ımber of criteria passed | 4 | | | | | | |
| Condition Assessment Result (out of 7 criteria) | | Condition Assessment Score | Score Achieved ×/√ | | | | | | | |
| Passes 6 or 7 criteria including passing essential criterion A | | Good (3) | V | | | | | | | |
| Passes 4 or 5 criteria including passing essential criterion A | | Moderate (2) | Y | | | | | | | |
| OF Pa | asses 3 or fewer criteria; R asses 4 - 6 criteria (excluding | Poor (1) | | | | | | | | |

Appendix 3. Photographs



Photo 1.
Looking south-west over the red line boundary area.
This ground has been recently cleared, and the adjacent grassland habitat has been used as a proxy.



Photo 2.
Showing the existing agricultural building, and location of proposed new building.



Photo 3.
Looking north over adjacent grassland habitat in the same land parcel. It is presumed that the habitat in the red line boundary was similar to this before ground clearance