






# Balance Posts with Rope

NRO821

**KOMPANI**



Item no. NRO821-0901	
<b>General Product Information</b>	
Dimensions LxWxH	316x59x120 cm
Age group	4+
Play capacity (users)	3
Colour options	 



The Balance Posts with Rope appeal to children immediately. When walking or jumping from pole to pole, children train their proprioception and sense of balance, both skills are fundamental in confidently managing the body in its surroundings. This is important for instance when navigating street traffic

safely, but it also plays an important role for children's self confidence. The support rope can be used by those less confident in their balancing skills. Navigating across the Balance Poles with friends teaches children how to take turns. These are important social-emotional skills that are basic to the ability to form friendship and

relate to peers. All in all, so much more than play.

# Balance Posts with Rope

NRO821



## Rope handholds

**Physical:** provides stability in balancing. Makes possible hanging in arms, training upper body muscles.  
**Social-Emotional:** adds a feeling of security.

## Balance pods

**Physical:** sense of balance is trained, and bone density built when jumping between and off the pods. **Social-Emotional:** turn-taking and cooperation as well as room for a seated rest with friends.

# Balance Posts with Rope

NRO821



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Nets and ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

Item no. NRO821-0901

## Installation Information

Max. fall height	35 cm
Safety surfacing area	19.3 m <sup>2</sup>
Total installation time	3.3 hours
Excavation volume	0.55 m <sup>3</sup>
Concrete volume	0.28 m <sup>3</sup>
Footing depth (standard)	100 cm
Shipment weight	202 kg
Anchoring options	In-ground ✓


## Warranty Information

Robinia wood	15 years
Ropes & nets	10 years
Spare parts guaranteed	10 years



# Sustainability Data

NRO821



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled material
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
<b>NRO821-0901</b>	62.15	0.38	0.50

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



## Independent review certificate

Kompan A/S  
C. F. Tietgens Blvd. 32C, 5220 Odense SØ

Bureau Veritas hereby attests that the CO<sub>2</sub>e-calculations (covering materials, processing, waste and transport) done by Kompan for "Nature Play", meet the requirements set by the listed standard.

Kompan A/S uses a selection of EPDs and emission factors from the Life Cycle Assessment database Ecoinvent 3.11. These values are reported as kg CO<sub>2</sub>e, with all other impact categories excluded in line with the scope of ISO 14067:2018. The emission factors cover, material use, manufacturing processes, transport to Kompan, and electricity used during manufacturing. The presented emissions fall under GHG Protocol scope 3 emissions. Scope 1 and 2 are not presented. Scope 3 emissions include emission sources in the upstream value chain of a company, downstream emissions are excluded in this analysis.

Method: ISO 14067:2018 using GHG protocol guidance documents, reported as kg CO<sub>2</sub>e.

### Object

The verification has been done on the one pager "NRO40901-0601" version: 27-10-2025. The supporting documentation "KOMPAN data\_updated emissions factors\_2025\_V2" and "Emissions factors, EPD's and ecoinvent 3.11\_2025" was also reviewed and approved.

### Declaration

The verification has been completed as a critical review with a limited assurance. I hereby confirm that nothing has come to the reviewer's attention which would lead to conclude that the study does not give an accurate depiction or isn't completed following method of the CO<sub>2</sub>e calculation, the requirements of ISO 14067:2018, and 14071:2024, in the above referenced documentation.

**Note:** This verification only covers calculation elements according to method described in ISO 14067:2018 and may not be seen as a Life Cycle Assessment according to ISO 14067:2018.

**Ref.:** Kompan\_Verification report 2025, 28-10-2025

**Date of certificate:** 29-10-2025

**Expire date:** 29-10-2027

**Verified by:** Julie Marie Vejsgaard Larsen, Environmental Auditor



**Signature:**

# Balance Posts with Rope

NRO821

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)