


- G 01** External ATM to be removed.
 - A. Exposed aperture to be in-filled to match the existing wall construction. Matching stone is to be used to re-instate the cill detail as well as the area below. Cill detail to match existing profile with carved offset detail included to in-fill below. Moulds to be taken from existing stone. Lime based mortar to be used on all in-filling area's.
 - B. Existing window above ATM to be replaced following ATM removal works. Replacement window to match profile of existing and decorated white to match.

 AREA OF REQUIRED IN-FILL & WINDOW REPLACEMENT.

- G 02** All external signage to be removed, including window vinyls. Any/all power supplies to illuminated signed removed and terminated safely.
- G 03** Vegetation to area above entrance pediment to be removed and any area's of ingress made good. Effected area's to be re-pointed with colour matched lime based mortar.
- G 04** Exiting Night safe to be retained in-situ. No works.



Scale - meters

Notes:	Rev	Date	Notes	Rev	Date	Notes
Copyright of this drawing is reserved by AXIS Architecture and issued on the condition that it is not copied, reproduced or disclosed to any third party either wholly or in part without the consent in writing of AXIS Architecture.						
 RESIDUAL RISK Wherever possible unnecessary risk is designed out of these proposals. Where residual risk remains this is assessed and identified on the relevant drawings with this symbol. Refer to the note and the relevant measures in the Health + Safety documentation	A	21/06/22	Updated following comments from Conservation officer.			

Client	Project	Title
Corporate Real Estate	Whitehaven	Proposed Elevations Front Elevation
Status PLANNING	Scale A1 1:50 A3 1:100	Date Drawn Checked Job No. 26700-3880-001-E1-PL1 Revision A
AXIS Architecture and Design Ltd, Talbot Chambers, 2-6 North Church Street, Sheffield, S1 2DH.	tel: +44(0)114 2490944 fax: +44(0)114 2490966 www.axis-architecture.com designed@axis-architecture.com	