

Flood & Development Management
Parkhouse Building
Carlisle
CA6 4SJ

cumberland.gov.uk

Copeland area Planning Department, Cumberland Council

For the attention of Nick Hayhurst

Date: 15 April 2025

Your reference: 4/25/2101/DOC

Dear Nick Hayhurst

CONSULTATION ON PLANNING APPLICATION

Appn: 4/25/2101/DOC

Site Address: LAND AT SCALEGILL ROAD, MOOR ROW

Proposal: DISCHARGE OF CONDITIONS 4, 5, 6, 8, 9, 10, 11, 12, 13, 14 AND 15

OF PLANNING APPLICATION 4/21/2360/001

Thank you for your consultation on the above Discharge of Conditions Application.

The Local Highway Authority (LHA) and Lead Local Flood Authority (LLFA) can confirm as follows:

Condition 4 -

The LHA and LLFA have reviewed the information submitted in support of the above condition to which we are content, therefore condition 4 can be discharged.

Condition 5 -

The LHA and LLFA have reviewed the information submitted in support of the above condition to which we are content, therefore condition 5 can be discharged.

Condition 6 -

The LHA and LLFA have reviewed the information submitted in support of the above condition to which we are content, therefore condition 6 can be discharged.

Condition 8 -

The LHA and LLFA have reviewed the information submitted in support of the above condition to which we are content, therefore condition 8 can be discharged.

Condition 9 -

The LHA and LLFA have reviewed the information submitted in support of the above condition to which we are content, therefore condition 9 can be discharged.



Flood & Development Management
Parkhouse Building
Carlisle
CA6 4SJ

cumberland.gov.uk

Condition 10 -

The LHA and LLFA have reviewed the information submitted in support of the above condition to which we are content, therefore condition 10 can be discharged.

Condition 11 -

The above condition is not for the LHA and LLFA to discharge

Condition 12 -

The above condition is not for the LHA and LLFA to discharge

Condition 13 -

The above condition is not for the LHA and LLFA to discharge

Condition 14 -

The above condition is not for the LHA and LLFA to discharge

Condition 15 -

The above condition is not for the LHA and LLFA to discharge

Yours sincerely

Paul Telford

Development Management Officer