

Copeland area Planning Department, Cumberland Council

For the attention of Christopher Harrison

Date: 18 December 2025

Your reference: 4/25/2406/DOC

Dear Christopher Harrison

**CONSULTATION ON PLANNING APPLICATION**

**Appn:** **4/25/2406/DOC**

**Site Address:** **WIND TURBINE, STUBSGILL FARM, DISTINGTON TO PARTON,  
DISTINGTON**

**Proposal:** **DISCHARGE OF CONDITIONS 6, 10, 11, 12, 15, 16 AND 18 OF  
PLANNING APPLICATION 4/24/2302/0F1**

Thank you for your consultation on the above Discharge of Conditions Application.

The Local Highway Authority (LHA) and Lead Local Flood Authority (LLFA) can confirm as follows:

**Condition 6 -**

The above condition is not for the LHA and LLFA to discharge.

**Condition 10 -**

The above condition is not for the LHA and LLFA to discharge.

**Condition 11 -**

The above condition is not for the LHA and LLFA to discharge.

**Condition 12 -**

The LHA and LLFA are content with information submitted in support of the above condition, therefore condition 12 can be discharged.

**Condition 15 -**

The LHA and LLFA are content with information submitted in support of the above condition, therefore condition 15 can be discharged.

**Condition 16 -**

The above condition is not for the LHA and LLFA to discharge.

**Condition 18 -**

The LHA and LLFA are content with information submitted in support of the above condition, therefore condition 18 can be discharged.

Yours sincerely

**Paul Telford**  
Development Management Officer