


	CLAY SOILS COUNTRY TERRAIN Up to 24.7m/s Up to 150m altitude Min 2km from the sea.	GRANULAR SOILS COUNTRY TERRAIN Up to 24.7m/s Up to 150m altitude Min 2km from the sea.	CLAY SOILS TOWN TERRAIN Up to 24.7m/s Up to 150m altitude Min 2km from the sea.	GRANULAR SOILS TOWN TERRAIN Up to 24.7 m/s Up to 150m altitude Min 2km from the sea
TOP/BOTTOM RAILS	125 x 50	125 x 50	125 x 50	125 x 50
MIDDLE RAILS	125 x 50	125 x 50 125 x 50		125 x 50
POST	150 x 150 thick @ 1.8m c/c	150 x 150 thick @ 1.8m c/c	150 x 150 thick @ 1.8m c/c	150 x 150 thick @ 1.8m c/c
FOUNDATION SIZE	450Ø x 1000	650Ø x 1200	450Ø x 900	650Ø x 1000
MAX RAIL SPACING	550mm	550mm	550mm	550mm



RAIL FIXINGS)

Screws to be fixed rail side

> (MID RAIL **FIXINGS**)

25-37.

TOWN TERRAIN:-Where there are built up areas around the full extent of the site, within 100m of the boundary and extending at least 2km.

COUNTRY TERRAIN:- All areas which are not defined as town terrain.

VARIATIONS OF RECOMMENDATIONS FOR **DIFFERENT SOIL TYPES AND SITE CONDITIONS**

Notes. Sketch schemes may be based on plan information of unknown origin and is subject to verification and survey. Contractors must verify all dimensions on site before commencing any work or shop drawings. This drawing is not to be scaled. Use figured dimensions only.

Building areas are liable to adjustment over the course of the design process due to ongoing construction detailing developments.

Subject to statutory approvals and survey.

ļ	 50	40	30	20	10mm
I		1		1	

Rails to be fixed to post with 75mm long 65mm long 5Ø galvanised wood screws- see detail 1. Bottom rail similar.

Mid rails to be fixed to post with 75mm long 5mmØ galvanised wood screws- see

P01	Intitial issue	19.01.22 JJ					
revision status	visions atus FOR COMMENT						
project	Standard Details						
client	Gleeson Homes & Regeneration						
title	1800mm Feather Boarded						
	Timber Fence						
drawn	JJ checked DR date 21.01.22 scale	1:20@A3					
job no	0282 drawing no SD-125	rev P01					