


- 1) ROOF COVERING TO BE BIG SIX CORRUGATED CEMENT FIBRE SHEET, GREY, + INCLUDE PHOTOVOLTAIC PANELS ON SOUTH-EAST SLOPE - QUANTITY NOT FINALISED
- 2) LOWER WALLS TO BE REINFORCED CONCRETE PANELS, NATURAL COLOUR
- 3) UPPER SIDE CLADDING TO BE BIG SIX CORRUGATED CEMENT FIBRE SHEET BOTH ENDS, + YORKSHIRE TYPE BOARDING TO N.W. SIDE
- 4) GATES + DOORS TO BE GALVANISED SHEET CLAD, BOX SECTION STEEL FRAME
- 5) ALL TIMBERWORK TO BE TREATED WITH A PRESERVATIVE
- 6) STEELWORK TO BE EITHER GALVANISED, OR COATED WITH 2 LAYERS NON-TOXIC PAINT
- 7) BUILDING TO BE MANUFACTURED TO BS 5502, CLASS 2
- 8) FLOOR AREA OF BUILDING = 905.3 m²
- 9) RAINWATER TO BE COLLECTED IN STORAGE TANKS, TO FEED OUTSIDE DRINKING TRAGHS, WITH OVER FLOWS TO NEW SOAKAWAYS
- 10) SLURRY TO BE SCRAPED INTO UNDERFLOOR TANK, WITH CHANNEL CONNECTION TO EXISTING UNDERFLOOR TANKS + PUMP SYSTEM TO EXISTING SLURRY LAGOON
- 11) ANY ELECTRICAL WORK TO BE INSTALLED + TESTED IN ACCORDANCE WITH BS 7671 (SEE WIRING RECS - LATEST EDITION)
- 12) EXISTING PUBLIC FOOTPATH ADJACENT TO BE MAINTAINED ACCESSIBLE AT ALL TIMES, WITH TEMPORARY DIVERSION IF REQD VIA ADJACENT YARD + GATE



SCALE 1:100

N° OF DOORS MAY BE REDUCED, THIS END

LOCALLY EXCAVATE AS REQD

PROPOSED CATTLE CUBICLE BUILDING AT TOWNHEAD FARM, NETHERTOWN, EGREMONT, CUMBRIA, FOR MR J. I. BROUGH