

PROPOSED LIGHTING & LANDSCAPING PLAN

- Recommended installation height (m) 5 - 12m
- Compliance with CE mark, ENEC certified, ENEC+ certified
- Dark Sky friendly lighting (IDA certification)
- Zhaga-D4i certified
- RCM mark
- Luminaires output flux (lm) - 200 to 20700
- Power consumption (W) - 10 to 1000
- Luminaires efficacy - up to (lm/W) 171
- Colour rendering index (CRI) 70 to 80
- Upward Light Output Ratio (ULOR) 0%
- ULR 0%
- Meets IDA Dark Sky requirements when fitted with LEDs of 3000K
- light housing 650mm L x 103mm H x 250mm W



- ## LANDSCAPING

LIMITATIONS OF USE.

1. These drawings are only to be used for the 'drawing type' stated and as such are not suitable for any other use.
2. The drawings should **not** be scaled from for obtaining detailed dimensional information unless the dimension is stated on the drawings.
3. Discrepancies should be reported to **HDP Ltd** immediately.
4. Drawings and designs should not be reproduced unless strict agreement is sort from **HDP Ltd**.
5. The drawings and design are the property of **HDP Ltd**.
6. The drawings are for the sole use of the client. A third party using these drawings does so at their own risk.
7. Unless stated otherwise any boundary lines shown are based on Ordnance Survey mapping and on site check dimensions. They should not be relied upon for correct boundary demarcation.

Copyright © All Rights Reserved of Holdsworth Design Practice Ltd
All drawings & designs are the copyright of Holdsworth Design Practice Ltd.
They should not in any event be copied, reproduced or duplicated without
the prior approval of Holdsworth Design Practice Ltd.

NOTES:

[illegible]

Holdsworth Design Practice Ltd
3 The Woodlands, Hayton, CA6 9HZ.
M: 0787000912 E: enquiries@hdp.co.uk W: www.hdp.co.uk

PROPOSED LIGHTING & LANDSCAPING

Project
Motor home and log cabin site with shop.

Client
Mr & Mrs Usher. Partfield Park, Drigg

DRAWING TYPE. PLANNING CONDITIONS (PC)	DRWG No. USH.CS.1222. PL.LDSCP1
DATE 11.09.24	REV 0
SCALE A1 1:200	